

## Body Strip Sheets

## 1st Out Specialty Vehicles

1st Out Specialty Vehicles  
1155 Stoops Ferry Road  
Moon Township, PA 15108  
4125073000  
service@1stoutspecialty.com

**Exp. Date:** 07/01/2026  
**Quote No:** 10080-0002  
07/20/2026

**Create Date:** 06/01/2026

Page 1

| PART NO                                                                           | S | DESCRIPTION                                                                        | QTY | ID          |
|-----------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------|-----|-------------|
| <b>== S180 Model 4116 Side Control Pumper - Boiler Plate - 10.360 05/21/26 ==</b> |   |                                                                                    |     | <b>ERVS</b> |
| 00-00-0050                                                                        |   | STAR QW Data Book v10.36 Release: 5.21.2026 / Expires: 10.15.2026                  | 1   | ERVS        |
| 00-00-0116                                                                        |   | ***Base Model 4116***Base Model 4116***Base Model 4116***Base Model 4116***        | 1   | ERVS        |
| <b>BOILERPLATE</b>                                                                |   |                                                                                    |     | <b>ERVS</b> |
| 00-00-155S                                                                        | > | BOILER PLATE - Star Pumper (S180)                                                  | 1   | ERVS        |
| 00-01-100S                                                                        | > | -- General Specifications, Pumper (S180)                                           | 1   | ERVS        |
| 00-01-2500                                                                        |   | -- Engine Availability                                                             | 1   | ERVS        |
| 00-01-3000                                                                        | > | -- NO Dealer BIO Details- Use Drop Down to add a 'Dealer' section adds             | 1   | ERVS        |
| 00-03-1110                                                                        |   | -- Bid (Generic Specs) Drawing                                                     | 1   | ERVS        |
| 00-05-2500                                                                        |   | -- NO Bid Security/Bid Bond                                                        | 1   | ERVS        |
| 00-06-2500                                                                        |   | -- NO Performance Bond                                                             | 1   | ERVS        |
| 00-07-2500                                                                        |   | -- NO Warranty Bond                                                                | 1   | ERVS        |
| 00-08-3100                                                                        |   | -- Single Source Manufacturer (Generic Specs)                                      | 1   | ERVS        |
| 00-08-4110                                                                        |   | -- Tag On Order/Cooperative Purchasing Agreement (Generic)                         | 1   | ERVS        |
| 00-13-1000                                                                        |   | -- 2 Hard Copy Sets Supplied Component Info, Pumper/Tanker (Generic Specs)-English | 1   | ERVS        |
| 00-13-2010                                                                        |   | -- {Qty} Hard Copy Set-Electrical Schematics-English                               | 1   | ERVS        |
| 00-13-9000                                                                        |   | -- Warning and Information Labels - English                                        | 1   | ERVS        |
| 00-30-5100                                                                        |   | -- NO Online Customer Interaction                                                  | 1   | ERVS        |
| 00-40-0100                                                                        | > | -- Liability Insurance, \$10 mill (Generic Specs)                                  | 1   | ERVS        |
| 00-60-1000                                                                        |   | -- General Warranty - 2 Year (Generic Specs)                                       | 1   | ERVS        |
| 00-90-8200                                                                        |   | -- 10 Year Plumbing Warranty, (Generic Specs)                                      | 1   | ERVS        |
| <b>PUMP CERTIFICATION AND TESTING</b>                                             |   |                                                                                    |     | <b>ERVS</b> |
| 00-10-0100                                                                        |   | Third Party Pump & Low-Voltage Electrical Certification Test (NFPA)-Full Specs     | 1   | ERVS        |
| <b>INSPECTIONS</b>                                                                |   |                                                                                    |     | <b>ERVS</b> |
| 00-30-055S                                                                        |   | Apparatus Inspections, Pumper (S180)                                               | 1   | ERVS        |
| 00-30-4005                                                                        |   | -- NO Final Inspection                                                             | 1   | ERVS        |
| <b>APPARATUS TRAINING</b>                                                         |   |                                                                                    |     | <b>ERVS</b> |
| 00-38-0200                                                                        |   | NO Apparatus Training                                                              | 1   | ERVS        |
| <b>DIMENSIONAL REQUIREMENTS</b>                                                   |   |                                                                                    |     | <b>ERVS</b> |
| 00-95-000S                                                                        |   | Apparatus Requirements (S180)                                                      | 1   | ERVS        |
| 00-95-1E50                                                                        |   | -- NO Maximum Overall Length Requirement (Max OAL)                                 | 1   | ERVS        |
| 00-95-2E50                                                                        |   | -- NO Maximum Overall Height Requirement (Max OAH)                                 | 1   | ERVS        |
| 00-95-3E00                                                                        | > | -- Maximum Overall Width, (OAW) = 99" (Apparatus Body)                             | 1   | ERVS        |

| PART NO    | S   | DESCRIPTION                                                                        | QTY | ID          |
|------------|-----|------------------------------------------------------------------------------------|-----|-------------|
| 00-95-5E50 |     | -- NO Maximum Wheelbase                                                            | 1   | ERVS        |
| 00-95-9E00 |     | -- NO Altitude Performance Requirement                                             | 1   | ERVS        |
|            |     | <b>== S180 Model 4116 Side Control Pumper - Chassis - 10.360 05/21/26 ==</b>       |     | <b>ERVS</b> |
| 00-00-0900 | < > | S180 CHASSIS UNIT***S180 CHASSIS UNIT***S180 CHASSIS UNIT***S180 CHASSIS UNIT***   | 1   | ERVS        |
|            |     | <b>CHASSIS</b>                                                                     |     | <b>ERVS</b> |
| 01-01-110S | >   | SPARTAN CUSTOM CHASSIS, SC Pumper (S180)                                           | 1   | ERVS        |
| 01-01-1010 |     | -- ***Metro Star*** CUSTOM CHASSIS                                                 | 1   | ERVS        |
| 04-00-4550 | >   | -- Jackshaft for pump mount (1/2 chassis provided jackshaft selected in FTBuilder) | 1   | ERVS        |
| 04-00-4600 | >   | -- Drill Frame for Body Installation- DO NOT DELETE< REQUIRED LINE ITEM-READ NOTE  | 1   | ERVS        |
| 06-25-0500 |     | -- Horizontal Exhaust, Spartan Provided                                            | 1   | ERVS        |
| 06-26-0105 |     | -- Exhaust Heat Shield, Front Compartment                                          | 1   | ERVS        |
| 04-12-1500 | >   | -- Back up alarm (Chassis Provided)                                                | 1   | ERVS        |
| 04-18-1200 | >   | -- Hazard light/ in cab (Chassis Provided)                                         | 1   | ERVS        |
| 04-20-0300 |     | -- NO Cab Exterior Spotlights                                                      | 1   | ERVS        |
| 04-22-000S | >   | -- CAB INTERIOR ACCESSORIES **MUST SELECT IN FT BUILDER** (S180)                   | 1   | ERVS        |
| 04-20-0005 |     | -- NO Handheld Spotlights                                                          | 1   | ERVS        |
| 04-21-0005 |     | -- NO Map Light                                                                    | 1   | ERVS        |
| 04-22-0100 |     | -- NO Cab Accessory Mounting Panel For Doghouse                                    | 1   | ERVS        |
| 04-22-0200 |     | -- NO Rear Facing Engine Tunnel Shelf -Between EMS compts                          | 1   | ERVS        |
| 04-22-0300 |     | -- NO Door Storage Pockets                                                         | 1   | ERVS        |
| 04-22-0400 |     | -- NO PAC TRAC Boards-NEED STAY OUT ZONES FOR APS IF APPLIC                        | 1   | ERVS        |
| 04-22-0500 |     | -- NO Upper Rear Storage Shelf                                                     | 1   | ERVS        |
| 04-22-0700 |     | -- NO MDT Tray (not available on comm cabs)                                        | 1   | ERVS        |
| 04-22-0800 |     | -- NO Laptop Swivel                                                                | 1   | ERVS        |
| 04-22-0900 |     | -- NO Map & Binder Storage (CUSTOM CAB)                                            | 1   | ERVS        |
| 04-22-2000 |     | -- NO Rear Wall Upper Storage Compartment                                          | 1   | ERVS        |
| 04-25-001S |     | -- NO ER Provided EMS Compartment - MUST BE SELECTED IN FT BUILDER (S180)          | 1   | ERVS        |
| 04-26-001S |     | -- CAB EXTERIOR ACCESSORIES (CUSTOM CHASSIS) (S180)                                | 1   | ERVS        |
| 04-26-0050 |     | -- NO Pike Pole Storage                                                            | 1   | ERVS        |
| 04-26-0100 |     | -- NO Exterior Cab Tray Assembly                                                   | 1   | ERVS        |
| 04-50-005S |     | -- *ELECTRICAL/AIR CHARGING SYSTEM PACKAGE (S180)                                  | 1   | ERVS        |
| 04-50-010S |     | -- Electrical charging system installed (Chassis Provided) (S180)                  | 1   | ERVS        |
| 04-52-0105 |     | -- NO Shoreline to be installed by body manufacturer                               | 1   | ERVS        |
| 04-55-0100 |     | -- NO Additional Air Charging System Provided (Can select Chassis Provided option) | 1   | ERVS        |
| 04-58-000S |     | -- Bumper Options, Custom Chassis (S180)                                           | 1   | ERVS        |
| 04-58-0105 |     | -- Bumper Extension (Chassis Provided) (use drop down for X-lay options)           | 1   | ERVS        |
| 04-58-0200 |     | -- Bumper Apron (Chassis Provided)                                                 | 1   | ERVS        |
| 04-58-0310 |     | -- NO Front Bumper Compartment LH                                                  | 1   | ERVS        |
| 04-58-0315 |     | -- NO Front Bumper Compartment RH                                                  | 1   | ERVS        |
| 04-58-040S |     | -- Front Bumper Compartment, Center (Chassis Provided) (S180)                      | 1   | ERVS        |
| 04-59-0010 |     | -- Front bumper hose well cover (Chassis Provided)                                 | 1   | ERVS        |
| 04-60-0200 |     | -- NO Bumper Compartment Matting                                                   | 1   | ERVS        |
| 04-61-0400 |     | -- NO Bumper Guide Poles                                                           | 1   | ERVS        |
| 04-64-000S |     | -- SIREN CONTROL HEAD-CUSTOM CHASSIS (S180)                                        | 1   | ERVS        |
| 04-64-0100 |     | -- Siren Head (Chassis Provided)                                                   | 1   | ERVS        |
| 04-65-000S |     | -- SIREN SPEAKER, CUSTOM CHASSIS (S180)                                            | 1   | ERVS        |
| 04-65-0040 |     | -- Siren Speaker(s) (Chassis Provided & installed)                                 | 1   | ERVS        |
| 04-67-000S |     | -- NO ER Provided Mechanical Siren - MUST BE SELECTED IN FT BUILDER (S180)         | 1   | ERVS        |

| PART NO                         | S   | DESCRIPTION                                                                       | QTY | ID          |
|---------------------------------|-----|-----------------------------------------------------------------------------------|-----|-------------|
| 04-80-010S                      |     | -- NO ER Provided Fire Bell - MUST BE SELECTED IN FT BUILDER (S180)               | 1   | ERVS        |
| 04-85-000S                      |     | -- AIR HORNS, CUSTOM CHASSIS (S180)                                               | 1   | ERVS        |
| 04-85-0100                      |     | -- Air Horn (Chassis Provided & Installed)                                        | 1   | ERVS        |
| 04-87-0000                      | <   | -- Chassis Required Labeling & Miscellaneous Options, English, custom cab         | 1   | ERVS        |
| 04-87-5000                      |     | -- Apparatus Information Label-English                                            | 1   | ERVS        |
| 04-87-6031                      |     | -- Cab Helmet Warning Label (Chassis Supplied-English verbiage)                   | 1   | ERVS        |
| 04-92-0100                      |     | -- Tire Pressure Observation System- Spartan Chassis                              | 1   | ERVS        |
| 04-92-1000                      |     | -- Tire Pressure Indicators (Chassis Provided)                                    | 1   | ERVS        |
| 05-02-0100                      |     | -- Vehicle Data Recorder & Seat Belts Spartan Chassis                             | 1   | ERVS        |
| 05-02-1000                      |     | -- Vehicle Data Recorder (Chassis Supplied)                                       | 1   | ERVS        |
| 05-10-1000                      | >   | -- ESC Brakes stability control system - (SEE ENG NOTE) - (Chassis Provided)      | 1   | ERVS        |
| 06-22-000S                      |     | -- Cab Tilt Options, SC Pumpers (S180)                                            | 1   | ERVS        |
| 06-22-056S                      |     | -- Cab Tilt Pendant Control -Lower Pump Access Panel- w/ Hinged Door (S180)       | 1   | ERVS        |
| 06-22-120S                      |     | -- Air Tank Drain Lines -(extended)                                               | 1   | ERVS        |
| 06-46-0000                      |     | -- NO Cab Back Overlay- Top Mount Pump Control, suggest adding option             | 1   | ERVS        |
| 07-05-0100                      |     | -- NO Auxiliary A/C for Cab                                                       | 1   | ERVS        |
| 70-20-1200                      | >   | -- Engine Compartment Light (Chassis Provided)                                    | 1   | ERVS        |
| 70-36-000S                      | >   | -- Under Chassis Lights (Chassis Provided) (S180)                                 | 1   | ERVS        |
| 04-45-0050                      |     | NO Intercom System                                                                | 1   | ERVS        |
| 04-45-0500                      |     | NO Radio Antenna Mounting Base                                                    | 1   | ERVS        |
| 04-48-0100                      |     | NO Tailboard to Cab Buzzer                                                        | 1   | ERVS        |
| 04-86-0100                      |     | NO Auxiliary Cab Gauges Added by Body Builder                                     | 1   | ERVS        |
| 04-95-3050                      |     | NO Tire Chains                                                                    | 1   | ERVS        |
| 05-15-005S                      |     | Helmet Restraints (S180)                                                          | 1   | ERVS        |
| 05-15-005T                      |     | -- Helmet Restraints - Fire Department or Dealer Supplied & Installed (S180)      | 1   | ERVS        |
| 06-20-0002                      | >   | NO Front Mud Flaps Added                                                          | 1   | ERVS        |
| 06-20-0010                      | >   | Mud flaps - Rear/Individual (W/Logo)                                              | 1   | ERVS        |
| 06-43-0050                      |     | NO Wheel Covers                                                                   | 1   | ERVS        |
|                                 |     | <b>== S180 Model 4116 Side Control Pumper - Pump Control - 10.360 05/21/26 ==</b> |     | <b>ERVS</b> |
| 00-00-0911                      | < > | S180 PUMP CONTROL UNIT*****S180 PUMP CONTROL UNIT*****S180 PUMP CONTROL UNIT****  | 1   | ERVS        |
| <b>PUMP COMPARTMENT/CONTROL</b> |     |                                                                                   |     | <b>ERVS</b> |
| 26-10-250V                      |     | Pump Compartment Construction, Pumper - 48" Access Work Light (S180)              | 1   | ERVS        |
| 26-10-2910                      |     | -- Vibra-Torq Pump Compartment Mounting, Pumpers/Tankers                          | 1   | ERVS        |
| 26-13-0005                      |     | -- NO Pump Compartment Heater                                                     | 1   | ERVS        |
| 26-13-3045                      |     | -- NO Heat Pan                                                                    | 1   | ERVS        |
| 26-13-7000                      |     | -- NO Extreme Arctic Pump Enclosure/Insulation Package                            | 1   | ERVS        |
| 26-15-0100                      |     | -- NO Air Chuck Outlet/Inlet                                                      | 1   | ERVS        |
| 70-20-214T                      |     | -- (1) 48.00 inch Pump Compartment Work Light (LED Tube, OnScene Access) (S180)   | 1   | ERVS        |
| 26-10-311S                      |     | Left Side Operator's Panel- Pumpers (S180)                                        | 1   | ERVS        |
| 25-05-0000                      |     | -- NO Open Door Warning                                                           | 1   | ERVS        |
| 26-05-0125                      |     | -- Valve Control-Innovative Controls- Side Mount {NEW}                            | 1   | ERVS        |
| 26-10-160T                      |     | -- Panel Lights -SC-DP Interm Steps w/ Hand Cutouts-Full Length OS Access (S180)  | 1   | ERVS        |
| 26-10-191T                      |     | -- Pump Panel Light Shield Chamfered Ends - Rear Only - DS Only (S180)            | 1   | ERVS        |
| 26-10-2017                      |     | -- Pump Panel Light Activation- Park Brake                                        | 1   | ERVS        |
| 26-10-710V                      |     | -- NO Speedlays Provided Integral to Pump Compartment-SC - 52" PH (S180)          | 1   | ERVS        |
| 26-11-9205                      | >   | -- Pump Compt Fwd Wall Pump Access-No Overlay (for Side Control)                  | 1   | ERVS        |
| 26-12-0545                      | >   | -- Pump Compartment Width - 52"                                                   | 1   | ERVS        |

| PART NO                  | S   | DESCRIPTION                                                                          | QTY | ID          |
|--------------------------|-----|--------------------------------------------------------------------------------------|-----|-------------|
| 26-41-103U               |     | -- Right Side Panels Split - Removable (Brushed SST L & R sides) No Strg Cvtly(S180) | 1   | ERVS        |
| 27-15-0000               |     | -- NO Storage Cavity/Mounting Prov in Pump Panel Area-Adding will increase PH width  | 1   | ERVS        |
| 27-00-000S               |     | -- Running Board Details, - Hosewell RS Only w/ Matting (S180)                       | 1   | ERVS        |
| 27-10-000S               |     | -- HOSE WELL PACKAGES-Select this option (S180-SC)                                   | 1   | ERVS        |
| 27-10-051S               |     | -- Right Side Only- Floating Hosewell-Chamfered Corners - 8" Deep-Smooth Alum(S180)  | 1   | ERVS        |
| 27-01-0155               |     | -- (2) D&S Aircraft Style Seat Belt Hold Down Straps                                 | 1   | ERVS        |
| 27-07-001S               |     | -- Left - w/ 3/16" Embossed Aluminum Diamond Plate Overlay (S180)                    | 1   | ERVS        |
| 27-12-0000               |     | -- NO Auxiliary Stepping provided (Slide Out/Pull Out/Fixed)-ADD for 4x4s            | 1   | ERVS        |
| 27-11-902S               |     | -- Hosewell Matting-VersaFlex (S180)                                                 | 1   | ERVS        |
| 04-60-0280               |     | -- Matting-Black color                                                               | 1   | ERVS        |
| 58-56-0000               |     | -- NO Running Board Lighting                                                         | 1   | ERVS        |
| 28-25-1700               |     | -- NO Radio Compartment                                                              | 1   | ERVS        |
| 28-15-006S               |     | PSG - Fire Research Corporation "InControl 400" (S180)                               | 1   | ERVS        |
| 09-02-0110               |     | -- Pump Panel Harness for PSG                                                        | 1   | ERVS        |
| 09-09-021S               | >   | -- Intake Pressure Relief - TFT, All Pumps (S180)                                    | 1   | ERVS        |
| 09-09-5000               | >   | -- NO Intake Plumbing Extension                                                      | 1   | ERVS        |
| 28-22-0010               | >   | Master Gauge Readings-MUST SELECT IF NOT ON GOVERNOR (PumpBoss/TPG)                  | 1   | ERVS        |
| 28-25-0100               |     | Pump Testing Ports                                                                   | 1   | ERVS        |
| 28-25-015T               |     | Water Tank Gauge Package(s) - IC SL Plus (S180)                                      | 1   | ERVS        |
| 28-50-0125               | >   | -- IC SL Plus Tank Gauge - operator's panel                                          | 1   | ERVS        |
| 28-51-0030               |     | -- Chassis Included Water Gauges (S180)                                              | 1   | ERVS        |
| 28-51-0050               |     | -- NO Interior Chassis 'mini' Water Gauge                                            | 1   | ERVS        |
| 28-51-0100               |     | -- NO Auxiliary Water Gauge                                                          | 1   | ERVS        |
| 28-51-0110               |     | -- NO Additional Water Gauge                                                         | 1   | ERVS        |
| 28-51-0120               |     | -- NO Extra Water Gauge                                                              | 1   | ERVS        |
| 28-25-0220               | >   | Air Horn Button-Red Momentary Rocker (For Use w/ IC Panel)                           | 1   | ERVS        |
| 28-25-0300               |     | NO Gauge - Chassis Fuel/DEF at Pump Panel {Custom Chassis Only}                      | 1   | ERVS        |
| 28-25-0500               |     | NO Pump Hour Meter                                                                   | 1   | ERVS        |
| 28-25-112T               |     | Innovative Control Six Place Switch Panel - Chrome Bezel (S180)                      | 1   | ERVS        |
| 54-50-311S               |     | Pump Compt Top (WITH DUNNAGE)-1/8" Embossed Aluminum Diam Plate (S180)               | 1   | ERVS        |
| 54-50-331S               | >   | -- Dunnage Area (Above Pump)-1/8" aluminum diamond plate (S180)                      | 1   | ERVS        |
| 54-50-3900               |     | -- NO Pumphouse Dunnage Area Cover                                                   | 1   | ERVS        |
| 70-21-0005               |     | -- NO Pump House Dunnage Lighting                                                    | 1   | ERVS        |
| 54-50-4000               |     | NO Pump Compartment Upper Storage (Integral Pump Compartment)                        | 1   | ERVS        |
| 54-50-4005               |     | NO Pump Compartment Upper Storage (Above Pump Compartment)                           | 1   | ERVS        |
|                          |     | <b>== S180 Model 4116 Side Control Pumper - Plumbing - 10.360 05/21/26 ==</b>        |     | <b>ERVS</b> |
| 00-00-0921               | < > | S180 PLUMBING UNIT**S180 PLUMBING UNIT**S180 PLUMBING UNIT**S180 PLUMBING UNIT**     | 1   | ERVS        |
| <b>PUMP AND PLUMBING</b> |     |                                                                                      |     | <b>ERVS</b> |
| 08-21-002T               |     | Waterous Pump, CSU 2000 GPM (s/s) - no de-rate (S180)                                | 1   | ERVS        |
| 08-21-0105               |     | -- CSU Verbiage (std w/ F. P. impeller)                                              | 1   | ERVS        |
| 08-58-0200               |     | -- Pump Warranty Waterous (7 year)                                                   | 1   | ERVS        |
| 08-75-0010               |     | -- NO Pump De-Rate                                                                   | 1   | ERVS        |
| 09-23-0020               |     | -- Mechanical Seals                                                                  | 1   | ERVS        |
| 09-24-001S               |     | -- Air pump shift (Chassis Provided) SELECT IN FTBuilder (S180)                      | 1   | ERVS        |
| 09-71-0010               |     | -- NO Manual Override for Pump Shift Provided                                        | 1   | ERVS        |
| 09-38-0105               |     | -- Trident Air Primer -Single Primer Actuation Non-ACE Control                       | 1   | ERVS        |
| 09-38-0305               |     | -- Push Button Primer Control                                                        | 1   | ERVS        |

| PART NO                       | S | DESCRIPTION                                                                    | QTY | ID          |
|-------------------------------|---|--------------------------------------------------------------------------------|-----|-------------|
| 10-12-010S                    |   | -- 6" Inlets w/ Std Length Tubes - w/ Long Handle Caps (S180)                  | 1   | ERVS        |
| 10-12-10SL                    |   | -- 6" Inlet LEFT SIDE w/ Std Length Tube - w/ Long Handle Cap (S180)           | 1   | ERVS        |
| 10-25-1000                    | > | -- 6" Long Handled, Chrome Plated Cap-(Logo)                                   | 1   | ERVS        |
| 10-12-10SR                    |   | -- 6" Inlet RIGHT SIDE w/ Std Length Tube - w/ Long Handle Cap (S180)          | 1   | ERVS        |
| 10-25-1000                    | > | -- 6" Long Handled, Chrome Plated Cap-(Logo)                                   | 1   | ERVS        |
| 09-01-05M0                    |   | Master Drain - Turn - Trident (Midship Mounted Pumps)                          | 1   | ERVS        |
| 09-38-3100                    | > | NO Thermal Relief Valve (All brands universal)                                 | 1   | ERVS        |
| 09-70-0010                    |   | Pump Cooling/Circulation Line                                                  | 1   | ERVS        |
| 09-70-042S                    |   | (Qty 2) Pump Anodes - discharge and suction (S180)                             | 1   | ERVS        |
| 09-70-0500                    | > | -- NO Pump Anode(s)-Paint Finish                                               | 1   | ERVS        |
| 09-72-0000                    |   | NO Paint Pump                                                                  | 1   | ERVS        |
| 09-73-0000                    |   | NO Painting of Piping                                                          | 1   | ERVS        |
| <b>INTAKES AND DISCHARGES</b> |   |                                                                                |     | <b>ERVS</b> |
| 12-10-100S                    |   | Plumbing Specs - Sch 10 Stainless Steel, - 3" manifold - Class 1 Drains (S180) | 1   | ERVS        |
| 12-10-1250                    |   | -- Plumbing Line Protection                                                    | 1   | ERVS        |
| 12-10-1295                    |   | -- Plumbing Termination Securement - coated cable                              | 1   | ERVS        |
| 12-10-1305                    |   | -- Manual Drains Class One #115639 J-Style Lift Handle-IC labels N/A           | 1   | ERVS        |
| 12-11-004S                    |   | NO Foam or CAFS System (Independent system of water pump), (S180)              | 1   | ERVS        |
| 18-65-901T                    |   | -- Single Foam Tank - 20 gallon (S180)                                         | 1   | ERVS        |
| 18-70-0100                    |   | -- Each Foam Tank Integral w/ Booster Tank (<30 gallons)                       | 1   | ERVS        |
| 18-72-010S                    |   | -- single tank 1" drain plug (S180)                                            | 1   | ERVS        |
| 14-05-030S                    | > | 5" front suction (Some Chassis Provided Plumbing) (S180)                       | 1   | ERVS        |
| 14-30-070S                    |   | -- Akron Electric -Butterfly - Valve - 5" (S180)                               | 1   | ERVS        |
| 14-33-0010                    |   | -- Akron Mini Navigator Pro Electric Controller Only-9327                      | 1   | ERVS        |
| 14-33-011S                    |   | -- Auxiliary Gated Intake Pressure Relief - TFT (S180)                         | 1   | ERVS        |
| 09-09-5000                    | > | -- NO Intake Plumbing Extension                                                | 1   | ERVS        |
| 14-45-032S                    | > | -- 5" Front Suction Inlet Piping - 1/2 Spartan Chassis Supplied (S180)         | 1   | ERVS        |
| 14-55-4150                    |   | -- Term: 5" NPT x 6" NST Chrome Swivel ELBOW w/long handle Cap                 | 1   | ERVS        |
| 14-60-1000                    |   | -- Manually Operated Drains                                                    | 1   | ERVS        |
| 14-75-021S                    |   | -- Suction located right front bumper, vertical outboard (S180)                | 1   | ERVS        |
| 14-80-0005                    |   | -- NO Front Suction Inlet w/Integral Recessed area                             | 1   | ERVS        |
| 14-81-0005                    |   | -- NO Front Suction Hose Provided                                              | 1   | ERVS        |
| 14-07-0000                    | > | NO Rear Suction                                                                | 1   | ERVS        |
| 14-10-010S                    |   | 2.5 - 3" Left Side Inlet (S180-SC)                                             | 1   | ERVS        |
| 14-30-001S                    |   | -- Akron 8000 Series Valve - 2.5" - Direct Control (S180)                      | 1   | ERVS        |
| 14-35-0015                    |   | -- Valve(s) Controlled -Directly /Suction Valve w/ Lever-                      | 1   | ERVS        |
| 14-45-000S                    |   | -- 2.5" Side Inlet Piping (S180)                                               | 1   | ERVS        |
| 14-55-0500                    |   | -- Term: 2.5" NPT x 2.5" NST adapt w/Plug                                      | 1   | ERVS        |
| 14-75-0305                    |   | -- Side Inlet to be located in forward position                                | 1   | ERVS        |
| 14-10-0205                    |   | NO Auxiliary Left Side Inlet                                                   | 1   | ERVS        |
| 14-10-0405                    |   | NO Right Side Inlet                                                            | 1   | ERVS        |
| 14-10-0605                    |   | NO Auxiliary Right Side Inlet                                                  | 1   | ERVS        |
| 15-05-010T                    |   | (Qty 1) 2.5" - 3" Left Side Discharge Rack & Sector (S180)                     | 1   | ERVS        |
| 16-30-0235                    |   | -- Akron Rack & Sector Actuated Valve - 3"                                     | 1   | ERVS        |
| 16-35-0020                    | > | -- Valve(s) Controlled - Discharge Location w/ Push/Pull for R&S               | 1   | ERVS        |
| 16-44-111T                    |   | -- 3" Discharge Piping (side mstr) (S180)                                      | 1   | ERVS        |
| 16-52-1100                    |   | -- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap                       | 1   | ERVS        |
| 16-61-0100                    | > | -- Gauge specified later- OR use drop down for alternative                     | 1   | ERVS        |
| 18-61-0000                    |   | -- NO Foam/CAFS Supplied to Discharge                                          | 1   | ERVS        |
| 15-05-0405                    |   | NO Left Side Master Discharge (Top Mount Application Only)                     | 1   | ERVS        |
| 15-05-061S                    |   | (Qty 1) 2.5" - 3" Right Side Discharge (S180)                                  | 1   | ERVS        |
| 16-30-012S                    |   | -- Akron 8000 Series Valve - 2 1/2" Operators Panel (S180)                     | 1   | ERVS        |
| 16-35-0010                    | > | -- Valve(s) Controlled -Operator's Panel-                                      | 1   | ERVS        |
| 16-44-051S                    |   | -- 2 1/2" Discharge Piping (side discharges) (S180)                            | 1   | ERVS        |
| 16-52-1100                    |   | -- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap                       | 1   | ERVS        |

| PART NO                                                                    | S | DESCRIPTION                                                                         | QTY | ID          |
|----------------------------------------------------------------------------|---|-------------------------------------------------------------------------------------|-----|-------------|
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 1   | ERVS        |
| 18-61-0000                                                                 |   | -- NO Foam/CAFS Supplied to Discharge                                               | 1   | ERVS        |
| 15-05-111S                                                                 |   | (Qty 1) Side 3" - 4" Master Discharge-Right Side (S180)                             | 1   | ERVS        |
| 16-30-020S                                                                 |   | -- Akron 8000 Series Valve - 3" Operators Panel (S180)                              | 1   | ERVS        |
| 16-35-0010                                                                 | > | -- Valve(s) Controlled -Operator's Panel-                                           | 1   | ERVS        |
| 16-44-171S                                                                 |   | -- 4" Discharge Piping (side mstr) (S180)                                           | 1   | ERVS        |
| 16-53-6000                                                                 |   | -- Term: 4" NPT x 5" Storz elbow w/cap                                              | 1   | ERVS        |
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 1   | ERVS        |
| 18-61-0000                                                                 |   | -- NO Foam/CAFS Supplied to Discharge                                               | 1   | ERVS        |
| 15-05-161S                                                                 |   | 2.5" - 3" Left Rear Discharge (S180)                                                | 1   | ERVS        |
| 16-30-0105                                                                 |   | -- Akron 8000 Series Valve - 2 1/2"                                                 | 1   | ERVS        |
| 16-35-0010                                                                 | > | -- Valve(s) Controlled -Operator's Panel-                                           | 1   | ERVS        |
| 16-44-071S                                                                 |   | -- 2 1/2" Discharge Plumbing (rear discharges) (S180)                               | 1   | ERVS        |
| 16-52-1100                                                                 |   | -- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap                            | 1   | ERVS        |
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 1   | ERVS        |
| 18-61-0000                                                                 |   | -- NO Foam/CAFS Supplied to Discharge                                               | 1   | ERVS        |
| 15-05-1705                                                                 |   | NO Auxiliary Left Rear Discharge                                                    | 1   | ERVS        |
| 15-05-211U                                                                 |   | 2.5" - 3" Right Rear Discharge (S180)                                               | 1   | ERVS        |
| 16-30-0105                                                                 |   | -- Akron 8000 Series Valve - 2 1/2"                                                 | 1   | ERVS        |
| 16-35-0010                                                                 | > | -- Valve(s) Controlled -Operator's Panel-                                           | 1   | ERVS        |
| 16-44-071S                                                                 |   | -- 2 1/2" Discharge Plumbing (rear discharges) (S180)                               | 1   | ERVS        |
| 16-52-1100                                                                 |   | -- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap                            | 1   | ERVS        |
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 1   | ERVS        |
| 18-61-0000                                                                 |   | -- NO Foam/CAFS Supplied to Discharge                                               | 1   | ERVS        |
| 15-05-2205                                                                 |   | NO Auxiliary Right Rear Discharge                                                   | 1   | ERVS        |
| 15-05-3205                                                                 |   | NO Large Diameter Center Position Rear Discharge                                    | 1   | ERVS        |
| 15-05-3305                                                                 |   | NO Large Diameter Right Rear Discharge                                              | 1   | ERVS        |
| 15-05-3405                                                                 |   | NO Large Diameter Left Rear Discharge                                               | 1   | ERVS        |
| <b>CROSSLAYS - REVIEW APPLICATION- DO NOT USE W/ UNDERBODY PUMP COMPTS</b> |   |                                                                                     |     | <b>ERVS</b> |
| 16-20-004T                                                                 |   | CROSSLAY AREA - Adjustable Crosslays - Access Lights - No Trim (S180)               | 1   | ERVS        |
| 16-20-001S                                                                 |   | -- Minimum 25" Deep Adjustable Crosslay Width, w/ chiksan terminations (S180)       | 1   | ERVS        |
| 16-20-012S                                                                 |   | -- 1/4" Adjustable Crosslay Divider - Full Length (S180)                            | 1   | ERVS        |
| 16-20-0150                                                                 |   | -- NO Turtle Tile Flooring - Crosslay                                               | 1   | ERVS        |
| 16-20-020S                                                                 |   | -- {Qty} Crosslay - 1.75"-200' (S180)                                               | 2   | ERVS        |
| 16-30-0005                                                                 |   | -- Akron 8000 Series Valve - 2"                                                     | 2   | ERVS        |
| 16-35-0010                                                                 | > | -- Valve(s) Controlled -Operator's Panel-                                           | 2   | ERVS        |
| 16-44-011S                                                                 |   | -- 2" Discharge Plumbing (x-lays, speedlays, side body preconnects) (S180)          | 2   | ERVS        |
| 16-50-1000                                                                 |   | -- Term: 2" NPT x 1.5" NST Brass Chiksan (no cap)                                   | 2   | ERVS        |
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 2   | ERVS        |
| 18-61-042S                                                                 |   | -- (2) Foam Capable Discharges (S180)                                               | 2   | ERVS        |
| 16-20-040S                                                                 |   | -- {Qty} Crosslay - 2.50" -200' (S180)                                              | 1   | ERVS        |
| 16-30-012S                                                                 |   | -- Akron 8000 Series Valve - 2 1/2" Operators Panel (S180)                          | 1   | ERVS        |
| 16-35-0010                                                                 | > | -- Valve(s) Controlled -Operator's Panel-                                           | 1   | ERVS        |
| 16-44-061S                                                                 |   | -- 2 1/2" Discharge Plumbing (x-lays, speedlays) (S180)                             | 1   | ERVS        |
| 16-50-2000                                                                 |   | -- Term: 2.5" NPT x 2.5" NST Brass Chiksan (no cap)                                 | 1   | ERVS        |
| 16-61-0100                                                                 | > | -- Gauge specified later- OR use drop down for alternative                          | 1   | ERVS        |
| 18-61-0000                                                                 |   | -- NO Foam/CAFS Supplied to Discharge                                               | 1   | ERVS        |
| 16-20-1600                                                                 | > | -- NO Deadlay for 1.75"                                                             | 1   | ERVS        |
| 16-20-1700                                                                 | > | -- NO Deadlay for 2.5"                                                              | 1   | ERVS        |
| 16-64-000S                                                                 |   | -- NO Trim Around Crosslay Opening (S180)                                           | 1   | ERVS        |
| 16-65-004S                                                                 |   | -- Crosslay HB Cover w/ hand hold cutout (hinged, 3/16" emb alum dimnd plate (S180) | 1   | ERVS        |
| 16-65-0100                                                                 |   | -- NO Mechanical Latches provided for hinged Crosslay Cover                         | 1   | ERVS        |
| 16-65-0201                                                                 |   | -- Crosslay End Covers - Fire Department or Dealer Provided and Installed (S180)    | 1   | ERVS        |

| PART NO                       | S | DESCRIPTION                                                                      | QTY | ID          |
|-------------------------------|---|----------------------------------------------------------------------------------|-----|-------------|
| 16-67-0100                    |   | -- NO Crosslay Rollers                                                           | 1   | ERVS        |
| 78-00-012S                    |   | -- (Qty 2) 18" OnScene "Access" LED Strip lights-front of body (S180)            | 1   | ERVS        |
| 78-00-0205                    |   | -- Crosslay Light Activation-Park Brake                                          | 1   | ERVS        |
| <b>SPEEDLAYS/PRE-CONNECTS</b> |   |                                                                                  |     | <b>ERVS</b> |
| 16-20-1000                    |   | NO Speedlays Integral to Pump Compartment (MATCH selection in pump control)      | 1   | ERVS        |
| 16-20-1020                    |   | NO Speedlay/At Walkway Area (For Top Mount Applications Only w/ Walkway)         | 1   | ERVS        |
| 16-21-040S                    |   | (1) Pre-Connect - 2 1/2" (right side) pumpers/tanker (S180)                      | 1   | ERVS        |
| 16-30-0105                    |   | -- Akron 8000 Series Valve - 2 1/2"                                              | 1   | ERVS        |
| 16-35-0010                    | > | -- Valve(s) Controlled -Operator's Panel-                                        | 1   | ERVS        |
| 16-44-081S                    |   | -- 2 1/2" Discharge Plumbing (2 1/2" pre-connects) (S180)                        | 1   | ERVS        |
| 16-50-4000                    |   | -- Term: 2.5" NPT x 2.5" NST (no cap)                                            | 1   | ERVS        |
| 16-55-220S                    | > | -- Pre connect to Terminate right side, 8" above the hose bed floor (S180)       | 1   | ERVS        |
| 16-61-0100                    | > | -- Gauge specified later- OR use drop down for alternative                       | 1   | ERVS        |
| 18-61-040S                    |   | -- (1) Foam Capable Discharge (S180)                                             | 1   | ERVS        |
| <b>SPECIALTY DISCHARGES</b>   |   |                                                                                  |     | <b>ERVS</b> |
| 16-22-000T                    |   | DELUGE & ACCESSORIES, Single Control - RS (S180-SC)                              | 1   | ERVS        |
| 16-22-010T                    |   | -- (1) Deluge Waterway - Single Control - RS (S180-SC)                           | 1   | ERVS        |
| 16-30-025S                    |   | -- Akron 8000 Series - 3" w/ Trident 4" Handwheel - Deck Gun - Sngl Cntrl (S180) | 1   | ERVS        |
| 16-44-151T                    |   | -- 3" Discharge Piping (deluge) - w/ Xtend-a-Gun - RS (S180)                     | 1   | ERVS        |
| 16-79-0030                    |   | -- Deluge-locate pipe right above pump                                           | 1   | ERVS        |
| 16-83-0110                    | > | -- Tele pipe, TFT, Ext-A-Gun, 18", 3" VIC x 3"M NPT                              | 1   | ERVS        |
| 16-61-0100                    | > | -- Gauge specified later- OR use drop down for alternative                       | 1   | ERVS        |
| 18-61-0000                    |   | -- NO Foam/CAFS Supplied to Discharge                                            | 1   | ERVS        |
| 16-23-001V                    |   | (1) Front Bumper LS Discharge - 2.5" (S180)                                      | 1   | ERVS        |
| 16-30-0105                    |   | -- Akron 8000 Series Valve - 2 1/2"                                              | 1   | ERVS        |
| 16-35-0010                    | > | -- Valve(s) Controlled -Operator's Panel-                                        | 1   | ERVS        |
| 16-44-101U                    | > | -- 2 1/2" Discharge Plumbing (2 1/2" LS fbd)-1/2 CHASSIS PROVIDED (S180)         | 1   | ERVS        |
| 16-44-9000                    |   | -- NO Painted Front Bumper Discharge Plumbing                                    | 1   | ERVS        |
| 16-45-0110                    |   | -- NO Air Blowout for Front Bumper Discharge                                     | 1   | ERVS        |
| 16-50-010S                    |   | -- Discharge Termination Chassis Provided (S180)                                 | 1   | ERVS        |
| 16-61-0100                    | > | -- Gauge specified later- OR use drop down for alternative                       | 1   | ERVS        |
| 18-61-040S                    |   | -- (1) Foam Capable Discharge (S180)                                             | 1   | ERVS        |
| 16-24-0005                    |   | NO Washdown Water System                                                         | 1   | ERVS        |
| 16-24-5000                    |   | NO Front Bumper Spray Nozzles                                                    | 1   | ERVS        |
| 16-29-010U                    |   | BOOSTER REEL - no extra roller (S180)                                            | 1   | ERVS        |
| 16-88-0900                    | > | -- BOOSTER REEL CAPACITY, DIMENSIONS AND DETAILS-SEE PDF                         | 1   | ERVS        |
| 16-88-100U                    |   | -- REEL, std electric w/capacity to handle 150' of 1" I.D. hose (S180)           | 1   | ERVS        |
| 16-88-301S                    | > | -- Booster Hose- Fire Department or Dealer Provided (S180)                       | 1   | ERVS        |
| 16-89-1000                    |   | -- Reel to be (steel, painted std silver)                                        | 1   | ERVS        |
| 16-89-2007                    |   | -- 1.5" Akron Valve (S180)                                                       | 1   | ERVS        |
| 16-91-1020                    |   | -- Rewind switch IC Rocker Switch - Operator Panel (S180 FC94)                   | 1   | ERVS        |
| 16-90-010T                    | > | -- Reel mounted above pump of pump compt - left no extra roller (S180)           | 1   | ERVS        |
| 16-92-0135                    |   | -- Rollers on left & right side of upper pumphouse-Bell Rollers                  | 1   | ERVS        |
| 16-93-0010                    |   | -- Hose reel blow out system                                                     | 1   | ERVS        |
| 16-93-0105                    |   | -- ADD Gauge for Booster Reel (will match discharge gauge selection)             | 1   | ERVS        |
| 16-95-0100                    |   | -- NO Nozzle                                                                     | 1   | ERVS        |
| 18-61-040S                    |   | -- (1) Foam Capable Discharge (S180)                                             | 1   | ERVS        |
| 16-29-9000                    |   | NO Auxiliary Booster Reel- (NON front bumper locations)                          | 1   | ERVS        |

| PART NO                    | S   | DESCRIPTION                                                                       | QTY | ID          |
|----------------------------|-----|-----------------------------------------------------------------------------------|-----|-------------|
| 16-29-9010                 |     | NO Booster Reel-Front Bumper Compartment (REQ APPROVAL)                           | 1   | ERVS        |
| <b>GAUGES</b>              |     |                                                                                   |     | <b>ERVS</b> |
| 16-60-001T                 |     | DISCHARGE GAUGES - 11 Gauges (S180-SC)                                            | 1   | ERVS        |
| 16-60-050S                 | >   | -- {Qty} Innovative Controls TC 63 mm gauge (IC Bezels available) (S180-SC)       | 11  | ERVS        |
| 16-62-0100                 |     | -- 0-400 PSI Scale Reading-Gauge                                                  | 11  | ERVS        |
| 16-62-0400                 |     | -- Black Markings on white gauge face                                             | 11  | ERVS        |
| 16-62-0500                 |     | -- NO LED backlight                                                               | 11  | ERVS        |
| 16-62-080S                 |     | -- Innovative Controls Bezels for Gauges (S180-SC)                                | 11  | ERVS        |
| 28-10-059S                 |     | -- IC Apparatus Labeling - Deluxe Labels, (S180-SC)                               | 11  | ERVS        |
| 28-10-0700                 |     | -- Standard Spartan IC Tags- Grey Background-NO SPEC VERB                         | 11  | ERVS        |
| 28-10-0750                 |     | -- NO Diagrammatic Decal (pump operator's panel)                                  | 11  | ERVS        |
| 28-10-0800                 | >   | -- NO Mechanical Fasteners for labels, Deluxe                                     | 11  | ERVS        |
| 28-10-0900                 | >   | -- NO Bezels for Top Control Handles- N/A for IC control handles, no bezels avail | 11  | ERVS        |
| 28-10-0910                 |     | -- NO Trim Bezels for Controls & Discharge and Inlet Cutouts on Side Pump Panels  | 11  | ERVS        |
| 16-60-5000                 |     | NO GAUGE HEATERS                                                                  | 1   | ERVS        |
| <b>TANK TO PUMP/REFILL</b> |     |                                                                                   |     | <b>ERVS</b> |
| 20-00-001S                 |     | (Qty 1) Tank to Pump Line - SST Schedule 10 - Waterous 3 1/2" (S180)              | 1   | ERVS        |
| 20-05-0100                 |     | -- Integral Tank to Pump Check Valve                                              | 1   | ERVS        |
| 20-28-061S                 |     | -- Waterous Valve - 3 1/2" (S180)                                                 | 1   | ERVS        |
| 20-35-0005                 | >   | -- Valve(s) Controlled at Operator's Panel                                        | 1   | ERVS        |
| 20-10-011S                 |     | (Qty 1) 2" Tank Re-fill Line (S180)                                               | 1   | ERVS        |
| 20-26-0110                 |     | -- Akron 8000 Series Valve - 2"                                                   | 1   | ERVS        |
| 20-35-0005                 | >   | -- Valve(s) Controlled at Operator's Panel                                        | 1   | ERVS        |
| 20-15-0010                 |     | NO Rear Direct Tank Fill Provided                                                 | 1   | ERVS        |
| 20-20-0010                 |     | NO Side Direct Tank Fill Provided                                                 | 1   | ERVS        |
|                            |     | <b>== S180 Model 4116 Side Control Pumper - Body - 10.360 05/21/26 ==</b>         |     | <b>ERVS</b> |
| 00-00-0931                 | < > | S180 BODY UNIT*****S180 BODY UNIT*****S180 BODY UNIT*****S180 BODY UNIT*****      | 1   | ERVS        |
| <b>BODY CONSTRUCTION</b>   |     |                                                                                   |     | <b>ERVS</b> |
| 30-11-100S                 |     | Extruded .125 Aluminum Body Material Construction (S180)                          | 1   | ERVS        |
| 30-12-520S                 |     | -- PPG Painting/Finish Specifications (S180)                                      | 1   | ERVS        |
| 30-12-600S                 |     | -- Body Paint - Single - (S180)                                                   | 1   | ERVS        |
| 30-12-700S                 |     | -- Body Paint color to match PPG 926234 Red (S180)                                | 1   | ERVS        |
| 30-12-606S                 |     | -- Compt. Superliner Finish, Alum (S180)                                          | 1   | ERVS        |
| 30-12-6540                 |     | -- Superliner Medium Gray Color                                                   | 1   | ERVS        |
| 88-00-0100                 |     | -- NO Undercoating                                                                | 1   | ERVS        |
| 30-12-5500                 |     | -- 10 Year Structural Body Warranty, Aluminum (Generic Specs)                     | 1   | ERVS        |
| 30-12-5850                 |     | -- Paint Warranty - 10 year Prorated, Aluminum (Generic Specs)                    | 1   | ERVS        |
| 54-50-104S                 |     | -- Diamond Plate front overlays and raw Alum rear overlays (S180)                 | 1   | ERVS        |
| 54-50-2110                 |     | -- Front Vertical Overlay Corner Trim - 16 Gauge Brushed Stainless Steel          | 1   | ERVS        |
| 54-50-221S                 |     | -- Rear Vertical Overlay Corner Trim - 16 Gauge Brushed Stainless Steel (S180)    | 1   | ERVS        |
| 54-75-0010                 |     | -- Catwalks- embossed aluminum diamond plate (see drop down for avail options)    | 1   | ERVS        |
| 30-20-1000                 |     | Vibra-Torq Body Mounting, Pumper, Tanker, Wildland                                | 1   | ERVS        |
| 30-30-1000                 |     | 99" Wide Body                                                                     | 1   | ERVS        |
| 30-31-0100                 |     | NO Compartment Drains (REQ FOR ULC, ADD BY DROP DOWN)                             | 1   | ERVS        |
| 30-31-5000                 |     | Compartment Filter Vent System                                                    | 1   | ERVS        |
| 30-31-5005                 |     | NO Power Vent                                                                     | 1   | ERVS        |
| 33-01-116S                 | >   | 1495-3 Ladder Box {5" taller side compts} Short Wheel Panel-Inset 9" (S180-4116)  | 1   | ERVS        |

| PART NO    | S | DESCRIPTION                                                                         | QTY | ID   |
|------------|---|-------------------------------------------------------------------------------------|-----|------|
| 33-05-034S |   | -- Non Locking ROM Roll-Up Doors (-3) Side Compts (5" taller 9" tail inset) (S180)  | 1   | ERVS |
| 37-90-011T |   | -- Side Compartment Doors, track & trim wet painted No Door Protectors (S180)       | 1   | ERVS |
| 37-91-0000 |   | -- NO ROLL-UP Door Protectors                                                       | 1   | ERVS |
| 37-92-0105 |   | -- Both, Left & Right/HS (roll-up door assist straps)                               | 1   | ERVS |
| 37-96-0020 |   | -- Door Open Switch/Warning Light - Roll Up Doors ROM                               | 1   | ERVS |
| 37-10-002T |   | -- Rear Center Compartment- "B-1" (38"w x 29.5"h framed) (S180)                     | 1   | ERVS |
| 37-10-020S |   | -- Rear Compt - ROM Non Lock Roll Up Door Option No Door Protectors (S180)          | 1   | ERVS |
| 37-41-001T | > | -- Rear Center Compartment Door, track & trim wet painted No Door Protector (S180)  | 1   | ERVS |
| 37-42-0005 |   | -- NO ROLL-UP Door Protector (rear compt)                                           | 1   | ERVS |
| 37-43-0005 |   | -- NO ROLL-UP Door Assist Straps (rear compartment)                                 | 1   | ERVS |
| 37-96-0015 |   | -- Door Open Switch/Warning Light - Roll Up Door ROM (Single)                       | 1   | ERVS |
| 37-50-001S | > | -- Fuel Tank Access-Removable Panel-Custom Chassis only option (S180)               | 1   | ERVS |
| 37-50-0050 |   | -- NO Label for Access Panel                                                        | 1   | ERVS |
| 37-55-0010 | > | -- NO 'Built In' Permanent Recessed Intermediate Step Above B-1                     | 1   | ERVS |
| 37-65-0010 |   | -- Rear Transverse Compt Partitions - Permanent                                     | 1   | ERVS |
| 37-65-0100 |   | -- NO Rear Wall Reinforcement for Blitzfire Mount {Watch step locations}            | 1   | ERVS |
| 37-98-0010 |   | -- Brushed Stainless Steel Sill Plates                                              | 1   | ERVS |
| 38-05-001U |   | -- Compartment Lighting, Spartan RX Lights (S180)                                   | 1   | ERVS |
| 70-30-030S |   | -- (2) LED Tubes Light per Compartment, Spartan (S180)                              | 1   | ERVS |
| 70-30-8000 |   | -- NO Auxiliary Compartment Lighting-mounted across top/RU door protector           | 1   | ERVS |
| 70-30-9000 |   | -- NO Door Liner Lighting-Requires Hinged Doors ONLY option                         | 1   | ERVS |
| 71-00-0010 |   | -- NO Under Shelf Lighting REQ's Shelving to be called out                          | 1   | ERVS |
| 71-50-0100 |   | -- Compartment Lighting Activation - Battery, Ignition, Door Switch                 | 1   | ERVS |
| 38-10-027S |   | -- 9" Inset Rear Tailboard-With Ladder/Rear Compartments- (S180)                    | 1   | ERVS |
| 38-11-0400 | > | -- Step - 9" Inset/9" Extension (18") w/ 3/16" Embossed Aluminum Diamond Plate      | 1   | ERVS |
| 38-15-0010 | > | -- NO Auxiliary Steps Below Rear Tailboard (may add for 4x4's-required)             | 1   | ERVS |
| 75-20-5000 |   | -- NO Auxiliary Brake Light                                                         | 1   | ERVS |
| 39-01-001V |   | -- Wheel Wells, Single Axle - Short Height Wheel Panel w/ SCBA (S180)               | 1   | ERVS |
| 39-03-002V | > | -- Wheel Well panels to be painted, Single Axle LS Only Fuel Fill - w/ SCBA (S180)  | 1   | ERVS |
| 52-60-005V |   | -- SCBA Storage in Wheel Wells (S180)                                               | 1   | ERVS |
| 52-60-2000 |   | -- Air Bottle Compts w/safety straps/CPI, - 1 Left/2 Right                          | 1   | ERVS |
| 56-05-2000 |   | -- Left Side- Cast Products Rear Fuel Fill Assembly, *CUSTOM CAB ONLY* Pumper/Rescu | 1   | ERVS |
| 56-10-0000 |   | -- NO Wheel Well Protection Flap-REQUIRES over wheel compartment call out           | 1   | ERVS |
| 39-15-000S |   | -- Rear Fenderettes to be Polished Stainless (S180)                                 | 1   | ERVS |
| 39-16-0000 |   | -- NO Blackout Coating Applied to Fenderette                                        | 1   | ERVS |
| 43-10-0010 |   | -- NO Upper Storage Compartments/Body Wall Adjustment - 1495                        | 1   | ERVS |
| 43-24-0000 |   | -- NO Underbody Storage Compartments                                                | 1   | ERVS |
| 50-15-302T |   | -- Hose bed Description - FD/Dealer Cover Only *RX Lighting* (S180)                 | 1   | ERVS |
| 30-13-0005 |   | -- NO embossed hose bed extension                                                   | 1   | ERVS |
| 30-14-0005 |   | -- Hose bed Walls w/Brushed Stainless Steel Finish                                  | 1   | ERVS |
| 30-14-2000 |   | -- Rear Hose bed Corners Trimmed w/ Brushed SST                                     | 1   | ERVS |
| 30-14-5000 | > | -- Hose Bed Side Walls Cap w/ Brushed SST                                           | 1   | ERVS |
| 50-12-4000 |   | -- Walls to be 90" tall                                                             | 1   | ERVS |
| 50-30-002S |   | -- Hose Bed Cover - S180 - Fire Department or Dealer Provided Cover (S180)          | 1   | ERVS |
| 50-30-006S |   | -- Fire Department or Dealer supplied Hose Restraints (S180)                        | 1   | ERVS |

| PART NO    | S | DESCRIPTION                                                                    | QTY | ID   |
|------------|---|--------------------------------------------------------------------------------|-----|------|
| 78-05-301S |   | -- Two (2) 48" & Two (2) 24" Spartan LED Tube Lights, Hose Bed Walls (S180)    | 1   | ERVS |
| 78-10-1070 |   | -- (Mult) Hose bed Lights to illuminate w/ Park Brake                          | 1   | ERVS |
| 50-15-329S |   | -- Dunnage Area in Hose bed - No Cover - No Lighting - w/ Divider (S180)       | 1   | ERVS |
| 50-15-3390 | > | -- Dunnage Area Hose Bed - Embossed Floor                                      | 1   | ERVS |
| 50-15-340T |   | -- NO Hose bed Dunnage Area Cover No Dunnage Lighting (S180)                   | 1   | ERVS |
| 70-31-3005 |   | -- NO Hose Bed Dunnage Compartment Lighting                                    | 1   | ERVS |
| 50-15-402S | > | -- {Qty} Full Height Reinforced Hose Bed Divider(s) w/hand cut-out(s) (S180)   | 2   | ERVS |
| 50-15-6010 |   | -- NO Belly Cut(s) in Hose Bed Divider                                         | 2   | ERVS |
| 50-15-4100 | > | -- NO Auxiliary Shortened Hose Bed Divider (NOT flush with top of hose bed)    | 1   | ERVS |
| 50-15-9E05 |   | -- NO Specific Hose Load Specified-Will Meet NFPA requirements                 | 1   | ERVS |
| 60-00-159V |   | -- Spartan Tank - 1000 gal low hose bed pumper - 'L' Configuration (S180)      | 1   | ERVS |
| 60-00-0010 |   | -- Spartan Tank Verbiage (low hose bed)                                        | 1   | ERVS |
| 60-00-0050 |   | -- Spartan Tank Warranty (For bid specs)                                       | 1   | ERVS |
| 60-00-011S |   | -- Fill Tower & Overflow 6" (less than 1500 gal.) (S180)                       | 1   | ERVS |
| 60-00-0230 |   | -- Fill Tower Location - Center Rear Dunnage                                   | 1   | ERVS |
| 60-00-030S |   | -- Single Tank Sump Verbiage (USE for 1 TTP valve) (S180)                      | 1   | ERVS |
| 60-00-0310 |   | -- Sump 3" Plug (no valve)                                                     | 1   | ERVS |
| 60-00-0400 |   | -- Tank Outlets Verbiage                                                       | 1   | ERVS |
| 62-25-000U |   | -- Ladder Compartment beside Booster Tank Right (S180)                         | 1   | ERVS |
| 62-25-1200 | > | -- Ladder Compt Made of 1/8" Smooth Aluminum                                   | 1   | ERVS |
| 62-27-001S |   | -- Compartment RIGHT on side of Water Tank-Vertical (S180)                     | 1   | ERVS |
| 62-29-0020 | > | -- Compt. open in pump compartment                                             | 1   | ERVS |
| 62-29-1010 |   | -- Ladder Compt. Door Hinge location -Inboard Edge-                            | 1   | ERVS |
| 62-29-1900 |   | -- Ladder Compartment Door, (Door Matches Rear Overlay) STD                    | 1   | ERVS |
| 62-29-8010 |   | -- Reflective Chevron Material on Ladder Compartment Door                      | 1   | ERVS |
| 62-29-9000 |   | -- NO Ladder Box Layout Decal                                                  | 1   | ERVS |
| 62-35-001S |   | -- Duo Safety Ladders - 24' / 14' / 10' - Spartan Supplied Ladders (S180)      | 1   | ERVS |
| 62-35-101S |   | -- Duo Safety Package-1-24' 2 section ext / 1-14' Roof/ 1 - 10' Folding (S180) | 1   | ERVS |
| 90-11-0070 | > | -- Duo Safety 24' Alum 900A 2 sect                                             | 1   | ERVS |
| 90-12-0030 | > | -- Duo Safety 14' Alum 775A roof                                               | 1   | ERVS |
| 90-13-0030 | > | -- Duo Safety 10' Alum 585A Attic                                              | 1   | ERVS |
| 62-38-000T |   | -- (2) Pike Poles Metal Storage Tubes - Spartan Supplied Pike Poles (S180)     | 1   | ERVS |
| 90-21-001S |   | -- Duo Safety (Qty) 12' w/Fiberglass Handle (S180)                             | 1   | ERVS |
| 90-21-001T |   | -- Duo Safety (Qty) 10' w/Fiberglass Handle (S180)                             | 1   | ERVS |
| 62-39-1010 |   | -- (1) Backboard storage in ladder compartment-FD or Dealer provides board     | 1   | ERVS |
| 62-40-000S |   | -- Extend Inner Wall of Ladder Compartment for open storage (S180)             | 1   | ERVS |
| 70-31-3005 |   | -- NO Hose Bed Dunnage Compartment Lighting                                    | 1   | ERVS |
| 65-00-000U |   | -- Suction Hose Storage, Split Depth HL/HR Compartments-No Ladder Rack (S180)  | 1   | ERVS |
| 66-00-020S |   | -- Suction Hose Carriers, Split Depth HL/HR compartments-No Ladder Rack (S180) | 1   | ERVS |
| 66-02-010S |   | -- (2) Suction Hose Carriers-6" x 10'-(1) LS and (1) RS Catwalk (S180)         | 1   | ERVS |
| 66-02-9020 |   | -- Suction Hose Carrier - Anodized Aluminum                                    | 1   | ERVS |
| 66-08-010S |   | -- (2) Suction Hose for Carrier-Spartan Provided-6" x 10' (S180)               | 1   | ERVS |
| 90-31-0110 | > | -- {Qty} 6" x 10' w/ lightweight cplg - Clear PVC                              | 2   | ERVS |
| 90-40-0100 |   | -- NO Strainer Provided                                                        | 1   | ERVS |

| PART NO                    | S | DESCRIPTION                                                                        | QTY | ID          |
|----------------------------|---|------------------------------------------------------------------------------------|-----|-------------|
| 66-00-0090                 |   | -- NO Auxiliary Suction Hose Storage                                               | 1   | ERVS        |
| 66-20-0010                 |   | -- NO Folding Tank Storage-Enclosed Compartment                                    | 1   | ERVS        |
| 50-60-0005                 |   | NO Rescue Equipment Storage Compartments (Stokes, Backboards, Little Giant)        | 1   | ERVS        |
| 51-05-0005                 |   | Vertical Unistrut (ALL) Body Compartments, Pumper (includes rear)                  | 1   | ERVS        |
| 51-06-0000                 |   | NO Horizontal Unistrut {DO NOT add if Spartan is prov. Wall Mount Boards}          | 1   | ERVS        |
| 52-13-000S                 |   | SINGLE AXLE-Over Wheel Compartment Partial Partitions Standard (S180)              | 1   | ERVS        |
| 52-13-001S                 |   | -- Over Wheel Partitions-Partial Front & Rear (Both Sides) (S180)                  | 1   | ERVS        |
| 52-13-1300                 | > | NO Fixed Vertical Side Compartment Dividers                                        | 1   | ERVS        |
| 52-13-1400                 |   | NO Fixed Vertical B1 Compartment Dividers                                          | 1   | ERVS        |
| 52-14-0005                 | > | NO Adjustable Vertical Side Compartment Dividers                                   | 1   | ERVS        |
| 52-14-1000                 |   | NO Adjustable Vertical B1 Compartment Dividers                                     | 1   | ERVS        |
| 52-15-0010                 |   | NO Protective Matting-Compartment Floors                                           | 1   | ERVS        |
| <b>SHELVING</b>            |   |                                                                                    |     | <b>ERVS</b> |
| 52-16-000V                 |   | Shelving and Roll Out Tray Packages - CUSTOM PACKAGE - w/ R2 (S180)                | 1   | ERVS        |
| 52-16-002V                 | > | -- Shelving Package - CUSTOM PKG - {SEE PDF for Shelving Capacity.} - w/ R2 (S180) | 1   | ERVS        |
| 52-16-021T                 | > | -- {QTY} Full Width x Half Depth - Upper Shelf - w/ R2 (S180)                      | 4   | ERVS        |
| 52-40-0105                 |   | -- {Qty} L1 Compartment                                                            | 1   | ERVS        |
| 52-40-0115                 |   | -- {Qty} L3 Compartment                                                            | 1   | ERVS        |
| 52-40-0205                 |   | -- {Qty} R1 Compartment                                                            | 1   | ERVS        |
| 52-40-0215                 |   | -- {Qty} R3 Compartment                                                            | 1   | ERVS        |
| 52-16-0140                 |   | -- NO Lower Shelving in compartments                                               | 1   | ERVS        |
| 52-22-002V                 |   | -- Roll-Out Tray Package - CUSTOM PACKAGE - w/ R2 - w/ B1 (S180)                   | 1   | ERVS        |
| 52-22-820T                 |   | -- {Qty} Floor Mount Roll Out-Full Width-(300#/100% w/FDR) w/R2 - w/B1 (S180)      | 3   | ERVS        |
| 52-40-0115                 |   | -- {Qty} L3 Compartment                                                            | 1   | ERVS        |
| 52-40-0215                 |   | -- {Qty} R3 Compartment                                                            | 1   | ERVS        |
| 52-40-0305                 |   | -- {Qty} B1 Rear Ctr Compartment                                                   | 1   | ERVS        |
| 52-22-0205                 |   | -- NO Adjustable Mount Roll Out Trays                                              | 1   | ERVS        |
| 52-26-0005                 |   | -- NO Protective Matting-Shelves/Trays (this is all inclusive)                     | 1   | ERVS        |
| 52-26-2005                 | > | -- DA-Tray/Shelf Finish                                                            | 1   | ERVS        |
| 52-26-3000                 |   | -- NO Tray Retro-Reflective Striping                                               | 1   | ERVS        |
| 52-26-4000                 |   | -- NO Shelf Retro-Reflective Striping                                              | 1   | ERVS        |
| 52-39-0010                 |   | NO Tool boards (PAC TRAC, PEG, ALUM, WOOD)                                         | 1   | ERVS        |
| 52-41-1005                 |   | NO Removable Tool Box, for tools, cribbing, etc...                                 | 1   | ERVS        |
| 52-42-0010                 |   | NO Storage for Air Bags                                                            | 1   | ERVS        |
| 52-80-0005                 |   | NO Breathing Air Cascade System                                                    | 1   | ERVS        |
| 52-85-0010                 |   | NO SCBA Air Bottle Rack                                                            | 1   | ERVS        |
| 52-91-0005                 |   | NO SCBA Bracket Package                                                            | 1   | ERVS        |
| <b>RUB RAILS</b>           |   |                                                                                    |     | <b>ERVS</b> |
| 53-00-010S                 |   | RUB RAIL PACKAGE (S180)                                                            | 1   | ERVS        |
| 53-00-011S                 |   | -- Side Rub Rails - Anodized Aluminum - (S180)                                     | 1   | ERVS        |
| 53-01-011S                 |   | -- Rub Rail Retro-Reflective Striping (3M Diamond Grade) (S180)                    | 1   | ERVS        |
| 53-01-0310                 |   | -- Stripe to be 3M Diamond Grade Ruby Red                                          | 1   | ERVS        |
| 53-02-010S                 |   | -- Rear Rub Rail - Anodized Aluminum - (S180)                                      | 1   | ERVS        |
| 53-01-040S                 |   | -- Rub Rail Retro-Reflective Striping (3M Diamond Grade) - Rear (S180)             | 1   | ERVS        |
| 53-01-0510                 |   | -- Stripe to be 3M Diamond Grade Ruby Red                                          | 1   | ERVS        |
| <b>STEPS AND HANDRAILS</b> |   |                                                                                    |     | <b>ERVS</b> |

| PART NO                    | S   | DESCRIPTION                                                                     | QTY | ID          |
|----------------------------|-----|---------------------------------------------------------------------------------|-----|-------------|
| 53-15-000U                 |     | FOLDING STEPS, IC Illuminated LED - Chrome (3LF, 3RF, LR - S180)                | 1   | ERVS        |
| 53-17-0050                 |     | -- Folding Step Chrome Finish - Chrome Plated                                   | 1   | ERVS        |
| 53-17-0100                 |     | -- w/Logo, White Step Light & Down Light, Safety Label, & Flying Lead           | 1   | ERVS        |
|                            |     | Termination                                                                     |     |             |
| 53-17-1115                 |     | -- NO Right Rear Step                                                           | 1   | ERVS        |
| 53-17-121S                 |     | -- Three (3) Left Forward Steps - Chrome (S180)                                 | 1   | ERVS        |
| 53-30-120S                 |     | -- (1) 10" Handrails - Knurled Alum/LED - Catwalk Angled 30° (S180)             | 1   | ERVS        |
| 53-31-0020                 |     | -- Red Reflective Handrail Insert                                               | 1   | ERVS        |
| 53-31-0510                 |     | -- Handrail Illumination Light Color (White/Clear)                              | 1   | ERVS        |
| 53-32-0005                 |     | -- Illuminated Handrail Activation - Park Brake                                 | 1   | ERVS        |
| 58-60-0005                 |     | -- Step Light Activation - Park Brake                                           | 1   | ERVS        |
| 53-17-131S                 |     | -- Three (3) Right Forward Steps - Chrome (S180)                                | 1   | ERVS        |
| 53-30-120S                 |     | -- (1) 10" Handrails - Knurled Alum/LED - Catwalk Angled 30° (S180)             | 1   | ERVS        |
| 53-31-0020                 |     | -- Red Reflective Handrail Insert                                               | 1   | ERVS        |
| 53-31-0510                 |     | -- Handrail Illumination Light Color (White/Clear)                              | 1   | ERVS        |
| 53-32-0005                 |     | -- Illuminated Handrail Activation - Park Brake                                 | 1   | ERVS        |
| 58-60-0005                 |     | -- Step Light Activation - Park Brake                                           | 1   | ERVS        |
| 53-17-140S                 | >   | -- Two (2) Left Rear Steps - Chrome (S180)                                      | 1   | ERVS        |
| 53-30-9960                 | >   | -- NO Handrail above rear steps                                                 | 1   | ERVS        |
| 58-60-0005                 |     | -- Step Light Activation - Park Brake                                           | 1   | ERVS        |
| 53-17-1600                 |     | -- NO Left Back of Cab Folding Step-CUSTOM CAB ONLY OPT                         | 1   | ERVS        |
| 53-17-1605                 |     | -- NO Right Back of Cab Folding Step-CUSTOM CAB ONLY OPT                        | 1   | ERVS        |
| 53-20-014T                 |     | Bolt On Intermediate Rear Step - 3/16" Embossed DP w/ Cutouts - Whelen (S180)   | 1   | ERVS        |
| 53-20-0220                 |     | -- Intermediate Rear Step -Located below Hose Bed-high as possible              | 1   | ERVS        |
| 58-50-015T                 |     | -- (2) LED Step Lighting, Whelen 0AC0EDCR w/ 45 Bezel, (S180)                   | 1   | ERVS        |
| 58-60-0005                 |     | -- Step Light Activation - Park Brake                                           | 1   | ERVS        |
| 53-21-0010                 |     | NO Rear Fixed Steps                                                             | 1   | ERVS        |
| 53-22-0010                 |     | NO Rear/Side Access Ladder(s)                                                   | 1   | ERVS        |
| 53-25-0015                 |     | NO Body Side Slide Out Platforms-Underbody Style                                | 1   | ERVS        |
| 53-30-100U                 |     | HANDRAILS - Knurled Alum/Illuminated LED - 2 on Back of Body - LED (S180)       | 1   | ERVS        |
| 53-30-133S                 |     | -- (2) 42" Handrails - knurled Alum/LED - rear wall (S180)                      | 1   | ERVS        |
| 53-31-0020                 |     | -- Red Reflective Handrail Insert                                               | 1   | ERVS        |
| 53-31-0510                 |     | -- Handrail Illumination Light Color (White/Clear)                              | 1   | ERVS        |
| 53-32-0005                 |     | -- Illuminated Handrail Activation - Park Brake                                 | 1   | ERVS        |
| <b>MISCELLANEOUS</b>       |     |                                                                                 |     | <b>ERVS</b> |
| 56-58-0025                 |     | DUAL Tow Eyes Below Rear Body/Compt - 1 ea side (Black Color)                   | 1   | ERVS        |
| 56-61-6010                 |     | NO Rear with Sides Rescue/Winch Receivers (USE THIS OPT FOR INTEGRAL REAR & SID | 1   | ERVS        |
| 56-61-6015                 |     | NO Rear Trailer Hitch Provisions Provided (DO NOT specify rear winch receiver)  | 1   | ERVS        |
| 56-61-6020                 |     | NO Side Rescue/Winch Receiver -REAR OF AXLE (DOES NOT INC REAR)                 | 1   | ERVS        |
| 56-61-6060                 |     | NO Front Rescue/Winch Receiver                                                  | 1   | ERVS        |
| 56-61-6300                 |     | NO Upper Body Anchor Points                                                     | 1   | ERVS        |
| 56-62-0010                 |     | NO I-Zone Hose Brackets                                                         | 1   | ERVS        |
| 84-20-0005                 |     | NO Hydraulic Hose Reel                                                          | 1   | ERVS        |
| 84-45-0005                 |     | NO Utility Air Hose Reel                                                        | 1   | ERVS        |
|                            |     | <b>== S180 Model 4116 Side Control Pumper - Electrical - 10.360 05/21/26 ==</b> |     | <b>ERVS</b> |
| 00-00-0941                 | < > | S180 ELECTRICAL UNIT*****S180 ELECTRICAL UNIT*****S180 ELECTRICAL UNIT*****     | 1   | ERVS        |
| <b>BODY 12v ELECTRICAL</b> |     |                                                                                 |     | <b>ERVS</b> |
| 70-01-001S                 |     | Multiplex Body Low Voltage Electrical System (S180)                             | 1   | ERVS        |

| PART NO                        | S | DESCRIPTION                                                                          | QTY | ID          |
|--------------------------------|---|--------------------------------------------------------------------------------------|-----|-------------|
| 70-01-5020                     |   | -- 2 Year Limited Multiplexed Electrical Warranty, (Generic Specs)                   | 1   | ERVS        |
| 70-02-001S                     |   | -- Spartan Custom Chassis is Multiplex (S180)                                        | 1   | ERVS        |
| 70-05-041S                     |   | -- Multiplex Display- Spartan Standard/Discretion (NO Specs attached) (S180)         | 1   | ERVS        |
| 70-05-0300                     |   | -- NO TRANSLATION FOR DISPLAY (for export only to add when needed for display)       | 1   | ERVS        |
| 70-05-0600                     |   | -- NO OLED Display                                                                   | 1   | ERVS        |
| 70-10-004S                     |   | -- Node (Combination Mount) (S180)                                                   | 1   | ERVS        |
| 70-11-0000                     |   | -- NO Whelen CORE system                                                             | 1   | ERVS        |
| 70-36-192S                     |   | Underbody Lights (6) - Side front & rear body/Tailboard (S180)                       | 1   | ERVS        |
| 70-36-2280                     |   | -- TecNiq T44 Series, 4" Rd LED Underbody Lights                                     | 6   | ERVS        |
| 70-37-0020                     |   | -- Underbody Perimeter Light Activation-Match Chassis Programming                    | 1   | ERVS        |
| <b>WARNING LIGHTS/PACKAGES</b> |   |                                                                                      |     | <b>ERVS</b> |
| 72-2A-009S                     |   | Whelen Upper Lighting Package - all red lights - chrome bezels (S180)                | 1   | ERVS        |
| 72-2A-010S                     |   | -- Upper Zone A-Whelen (S180)                                                        | 1   | ERVS        |
| 72-2A-0130                     | > | -- Lightbar (Chassis Provided)                                                       | 1   | ERVS        |
| 75-02-1000                     |   | -- Lightbar switched (Chassis Provided)                                              | 1   | ERVS        |
| 72-2H-006S                     |   | -- Upper Zone B&D Warning - Whelen - No Aux Warn (S180)                              | 1   | ERVS        |
| 72-2H-0100                     |   | -- Front Side of Body Zone B&D - No Lights installed                                 | 1   | ERVS        |
| 72-2K-0010                     |   | -- Rear Side of Body Zone B&D - No Lights installed                                  | 1   | ERVS        |
| 72-2K-5000                     |   | -- NO Auxiliary Upper Zone B Warning                                                 | 1   | ERVS        |
| 75-02-1200                     |   | -- NO Upper Side Lights Switch                                                       | 1   | ERVS        |
| 72-2M-006S                     |   | -- Upper Zone C Warning - Whelen - all red lights - chrome bezels (S180)             | 1   | ERVS        |
| 72-2M-013R                     |   | -- Zone C (2) B6 Red LED w/clear lens Beacons with (2) M7 Series Amber LED (S180)    | 1   | ERVS        |
| 78-30-0005                     |   | -- Upper Zone C NO Stanchions provided (For use w/ upper storage/catwalk mount etc)  | 1   | ERVS        |
| 72-2M-1200                     |   | -- NO Auxiliary Upper Zone C Warning-Whelen                                          | 1   | ERVS        |
| 72-2M-1300                     |   | -- NO Auxiliary Mid Height Zone C Warning-Whelen                                     | 1   | ERVS        |
| 75-02-143S                     | > | -- Upper Rear Warn Lights Switched w/E-Master & Secondary Switch (Vehicle Display)   | 1   | ERVS        |
| 74-2A-109S                     |   | Whelen Lower LED Lighting Package - all red lights - chrome bezels (S180)            | 1   | ERVS        |
| 74-2B-000S                     |   | -- Lower Zone A Warning -Whelen (S180)                                               | 1   | ERVS        |
| 74-2B-0010                     | > | -- Lower Zone A Warning (Chassis Provided)                                           | 1   | ERVS        |
| 74-2B-5000                     |   | -- NO Auxiliary Lower Zone A Warning                                                 | 1   | ERVS        |
| 75-18-0002                     |   | -- Lower Front Warning Lights switched (Chassis Provided)                            | 1   | ERVS        |
| 74-2F-009S                     |   | -- Lower Zone B&D Warning - Whelen - all red lights - chrome bezels (S180)           | 1   | ERVS        |
| 74-2F-029S                     |   | -- Zone B&D - (2) Whelen M6 Series Super-LED, Chrome Bezels - red (S180)             | 1   | ERVS        |
| 75-05-0207                     |   | -- Side Warning Lights Standard Flash                                                | 1   | ERVS        |
| 75-06-0000                     |   | -- NO Low Intensity Flash Pattern                                                    | 1   | ERVS        |
| 75-11-0010                     |   | -- Side Warning Lights are Red with Clear Lenses                                     | 1   | ERVS        |
| 75-15-0012                     |   | -- (2) Side Lights Located- Rear Wheel Panel-forward                                 | 1   | ERVS        |
| 74-2F-503S                     |   | -- Aux. B&D - Lower (4) Whln WION LED, Chrm Bzls, Cntrd below Frnt/Rear compt (S180) | 1   | ERVS        |
| 75-05-0207                     |   | -- Side Warning Lights Standard Flash                                                | 1   | ERVS        |
| 75-11-0010                     |   | -- Side Warning Lights are Red with Clear Lenses                                     | 1   | ERVS        |
| 74-6J-0005                     |   | -- Lower Zones B&D NO Light Housing MUST ADD FOR TAILBOARD LIGHTS                    | 1   | ERVS        |
| 75-18-012S                     |   | -- Lower Side Warning Lights Switched w/E-Master & Secondary Switch (Vehicle Disp)   | 1   | ERVS        |
| 74-2J-003S                     |   | -- Lower Zone C Warning -Whelen-M6-all red-clear lens-chrome bezels (S180)           | 1   | ERVS        |
| 74-2J-009W                     |   | -- Zone C - (2) Whelen M6 Series Super-LED, Chrome Bezels - all red lights (S180)    | 1   | ERVS        |

| PART NO                                                                 | S | DESCRIPTION                                                                            | QTY | ID          |
|-------------------------------------------------------------------------|---|----------------------------------------------------------------------------------------|-----|-------------|
| 75-05-0407                                                              |   | -- Rear Warning Lights Standard Flash                                                  | 1   | ERVS        |
| 75-06-0000                                                              |   | -- NO Low Intensity Flash Pattern                                                      | 1   | ERVS        |
| 75-12-0010                                                              |   | -- Rear Warning Lights are Red with Clear Lenses                                       | 1   | ERVS        |
| 75-18-022S                                                              |   | -- Lower Rear Warning Lights Switched w/E-Master & Secondary Switch<br>(Vehicle Disp)  | 1   | ERVS        |
| 75-20-035S                                                              | > | -- Whelen Super LED Brake/Tail/Turn & Back-Up Assembly,<br>M6-Series-chrome (S180)     | 1   | ERVS        |
| 75-20-0650                                                              |   | -- Whelen M6 series 4 Position Vertical Housing, Chrome Plated                         | 1   | ERVS        |
| 75-20-1010                                                              |   | -- Taillights with Clear Lenses                                                        | 1   | ERVS        |
| 75-21-0010                                                              |   | -- Backup Lights to illuminate in reverse only                                         | 1   | ERVS        |
| <b>D.O.T. LIGHTS</b>                                                    |   |                                                                                        |     | <b>ERVS</b> |
| 75-25-301S                                                              | > | TecNiq S17 RED DOT Lighting - (7 total LED) - low at rear - steady burn (S180)         | 1   | ERVS        |
| 75-25-6000                                                              | > | -- (1 per side) TecNiq Intermediate Amber Lighting (Req. for apparatus >30'            | 1   | ERVS        |
| 75-25-9010                                                              |   | -- Intermediate Turn Signals (mid turn, steady burn)                                   | 1   | ERVS        |
| 75-26-0000                                                              |   | -- NO Britax lighting                                                                  | 1   | ERVS        |
| 75-28-0000                                                              |   | -- NO Auxiliary Side DOT lighting                                                      | 1   | ERVS        |
| 75-30-0010                                                              |   | -- NO Auxiliary Side Turn Signal                                                       | 1   | ERVS        |
| 75-30-5100                                                              |   | -- Marker Lights - Clear Lens                                                          | 1   | ERVS        |
| 75-30-7000                                                              |   | -- Marker Lights - Chrome Bezels                                                       | 1   | ERVS        |
| 76-29-0005                                                              |   | NO Body Side Back Up Lights                                                            | 1   | ERVS        |
| <b>REAR OPTICAL</b>                                                     |   |                                                                                        |     | <b>ERVS</b> |
| 76-30-0010                                                              |   | NO Rear Directional Light Bar                                                          | 1   | ERVS        |
| 77-00-001S                                                              |   | Camera System (S180)                                                                   | 1   | ERVS        |
| 77-00-005S                                                              |   | -- Camera System (Chassis Provided) (S180)                                             | 1   | ERVS        |
| 77-01-0050                                                              |   | -- Rear camera mount underside of intermediate step (Chassis Provided<br>Camera)       | 1   | ERVS        |
| 77-01-5100                                                              |   | -- NO AUX Camera Monitor/ Camera System                                                | 1   | ERVS        |
| 77-06-0000                                                              |   | NO Rear/Body Collision Avoidance/Sensor System                                         | 1   | ERVS        |
| <b>12-VOLT AUXILIARY POWER RECEPTACLES, FUSE BLOCKS, GRND<br/>STUDS</b> |   |                                                                                        |     | <b>ERVS</b> |
| 78-40-0200                                                              |   | NO 12-Volt Cigarette Lighter Style Outlet - 15 amp                                     | 1   | ERVS        |
| 78-40-0210                                                              |   | NO 12-Volt Power & Ground Studs - 40 amp                                               | 1   | ERVS        |
| 78-40-0220                                                              |   | NO 12-Volt Blue Sea Fuse Block, 6 position - 40amp batt direct                         | 1   | ERVS        |
| 78-40-0230                                                              |   | NO 12-Volt Dual USB 2.4A Receptacle (Batt Direct)                                      | 1   | ERVS        |
| 78-40-0240                                                              |   | NO 12-Volt Dual USB 2.4A Receptacle (On with Master Batt)                              | 1   | ERVS        |
| <b>12 VOLT SCENE LIGHTS</b>                                             |   |                                                                                        |     | <b>ERVS</b> |
| 78-44-013S                                                              |   | 12v Scene Lighting Options - chrome bezels (S180)                                      | 1   | ERVS        |
| 78-45-002S                                                              |   | -- (4) Stationary Scene lights located side of body two each side-chrome bzl<br>(S180) | 1   | ERVS        |
| 78-50-8005                                                              |   | -- Side Scene Lights far outboard corners-NO Surface Mount Warning lights              | 1   | ERVS        |
| 78-51-0250                                                              |   | -- Whelen M9 Gradient Series Super-LED, Scene Light, Chrome Flange                     | 4   | ERVS        |
| 82-60-253S                                                              | > | -- Body Side Scene light(s) switch on the display & pump pnl-rckr swtch<br>(S180)      | 1   | ERVS        |
| 78-45-003S                                                              |   | -- (2) Stationary Scene lights located back of body, one each side-chrome<br>bzl(S180) | 1   | ERVS        |
| 78-50-8105                                                              |   | -- Rear Scene Lights, outboard corners-NO Surface Mount Warning lights                 | 1   | ERVS        |
| 78-51-0250                                                              |   | -- Whelen M9 Gradient Series Super-LED, Scene Light, Chrome Flange                     | 2   | ERVS        |
| 82-60-352S                                                              |   | -- Rear Scene light(s) switched on the vehicle display & rckr swtch on pp<br>(S180)    | 1   | ERVS        |
| 78-45-0040                                                              |   | -- NO 12 Volt Front Brow Scene Lights (Check FTBuilder 1st on custom cabs)             | 1   | ERVS        |
| 78-45-0042                                                              |   | -- NO 12 Volt Pedestals Scene Lights                                                   | 1   | ERVS        |
| 78-45-0045                                                              |   | -- NO 12 Volt "TOP" Mount Telescoping Scene Lights                                     | 1   | ERVS        |

| PART NO                         | S   | DESCRIPTION                                                                      | QTY | ID          |
|---------------------------------|-----|----------------------------------------------------------------------------------|-----|-------------|
| 78-45-0060                      |     | -- NO 12 Volt "SIDE" Mount Telescoping Scene Lights                              | 1   | ERVS        |
| <b>GENERATOR</b>                |     |                                                                                  |     | <b>ERVS</b> |
| 80-05-000S                      |     | NO Generator/NO Dealer Installed Inverter (S180)                                 | 1   | ERVS        |
| 80-80-0010                      |     | -- NO Line Voltage Outlets (120V/Shorepower)                                     | 1   | ERVS        |
| <b>BODY HIGH VOLTAGE LIGHTS</b> |     |                                                                                  |     | <b>ERVS</b> |
| 83-00-0500                      |     | NO 12VDC or 120VAC Light Tower Package                                           | 1   | ERVS        |
|                                 |     | <b>== S180 Model 4116 Side Control Pumper - Extras - 10.360 05/21/26 ==</b>      |     | <b>ERVS</b> |
| 00-00-0980                      | < > | S180 EXTRAS UNIT****S180 EXTRAS UNIT****S180 EXTRAS UNIT****S180 EXTRAS UNIT**** | 1   | ERVS        |
| <b>LETTERING AND STRIPING</b>   |     |                                                                                  |     | <b>ERVS</b> |
| 88-50-0100                      | >   | =LETTERING & STRIPING / PDF=                                                     | 1   | ERVS        |
| 88-50-025S                      |     | Striping-Reflective (S180)                                                       | 1   | ERVS        |
| 88-50-0530                      |     | -- Reflective Stripe - Fire Department or Dealer Supplied & Installed (S180)     | 1   | ERVS        |
| 88-53-200T                      |     | Diamond Grade Retro-Reflective Chevron Red/Yellow(REAR)- NO Bumper Chevron(S180) | 1   | ERVS        |
| 88-53-5000                      |     | -- NO Chevron Striping On Front Bumper                                           | 1   | ERVS        |
| 88-53-6010                      | >   | -- Chevron Striping to be Red/Fluorescent Yellow Green                           | 1   | ERVS        |
| 88-54-010S                      |     | Body Lettering (S180)                                                            | 1   | ERVS        |
| 88-54-020S                      |     | -- Fire Department or Dealer Supplied Body/Cab Lettering (S180)                  | 1   | ERVS        |
| 88-54-9900                      |     | -- NO Auxiliary Lettering-Body                                                   | 1   | ERVS        |
| 88-54-9910                      |     | -- NO Additional Lettering-Body                                                  | 1   | ERVS        |
| 88-55-001S                      |     | Decals (S180)                                                                    | 1   | ERVS        |
| 88-55-020S                      |     | -- Fire Department or Dealer Installed Decals (S180)                             | 1   | ERVS        |
| <b>EQUIPMENT AND EXTRAS</b>     |     |                                                                                  |     | <b>ERVS</b> |
| 88-78-000S                      |     | License Plate Mounting Options (S180)                                            | 1   | ERVS        |
| 88-78-3050                      |     | -- CPI Cast Aluminum License Plate Bracket (open bottom) w/ LED Light            | 1   | ERVS        |
| 88-78-9010                      |     | -- License Plate Bracket Location Right Side                                     | 1   | ERVS        |
| 90-00-000S                      |     | EQUIPMENT (S180)                                                                 | 1   | ERVS        |
| 90-04-100S                      |     | -- 1 Set-Spartan Folding Wheel Chocks (S180)                                     | 1   | ERVS        |
| 90-04-1120                      |     | -- (1-set) Spartan Folding Wheel Chock -horiz mnt brckts-LF & LR body            | 1   | ERVS        |
| 90-08-0005                      | >   | -- NO Auxiliary Ladders (Ladders called out in spec above)                       | 1   | ERVS        |
| 90-20-0005                      |     | -- NO Auxiliary Pike Poles (Pike Poles called out in spec above)                 | 1   | ERVS        |
| 90-30-0005                      | >   | -- NO Hard Suction Hose (Suction Hose called out in spec above)                  | 1   | ERVS        |
| 90-40-0005                      |     | -- NO Strainers (Strainers called out in spec above)                             | 1   | ERVS        |
| 90-60-000S                      |     | -- Folding Tanks (S180)                                                          | 1   | ERVS        |
| 90-60-0010                      |     | -- NO Folding Tank                                                               | 1   | ERVS        |
| 90-80-001S                      |     | -- Fire Extinguishers (S180)                                                     | 1   | ERVS        |
| 90-80-0110                      |     | -- Fire Department Supplied Fire Extinguishers                                   | 1   | ERVS        |
| 91-10-001S                      |     | -- Rechargeable Flashlights (S180)                                               | 1   | ERVS        |
| 91-10-0030                      |     | -- Fire Department Supplied Portable Hand Lights                                 | 1   | ERVS        |
| 91-22-001S                      |     | -- Flares (S180)                                                                 | 1   | ERVS        |
| 91-22-0110                      |     | -- Fire Department Supplied Flares                                               | 1   | ERVS        |
| 91-23-001S                      |     | -- Traffic Cones (S180)                                                          | 1   | ERVS        |
| 91-23-0120                      |     | -- Fire Department Supplied Traffic Cones                                        | 1   | ERVS        |
| 91-23-020S                      |     | -- Traffic Vest (S180)                                                           | 1   | ERVS        |
| 91-23-0220                      |     | -- Fire Department Supplied Traffic Vest                                         | 1   | ERVS        |
| 91-24-000S                      |     | -- AED (S180)                                                                    | 1   | ERVS        |
| 91-24-0054                      |     | -- Fire Department Supplied AED                                                  | 1   | ERVS        |
| 91-25-000S                      |     | -- First Aid Kit (S180)                                                          | 1   | ERVS        |
| 91-25-0054                      |     | -- Fire Department Supplied First Aid Kit                                        | 1   | ERVS        |
| 91-26-001S                      |     | -- Salvage Covers (S180)                                                         | 1   | ERVS        |

[illegible]