



QUOTATION

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 732.223.8456
 cnewsome@plcustom.com

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 732.223.8456
 cnewsome@plcustom.com

Exp. Date: 06/01/2025
Quote No: 1016406-4855-0002
Job/Order No: 4855
BODY: CLSC170 Type 1 Classic, 170" 108"CA

03/09/2026

Page 1

PART NO	S	DESCRIPTION	QTY	ID
00-00-0100		== Type 1 Classic, 170" 108"CA - 34.110 04/23/25 ==		PLG
00-05-0100	<	PL Ambulance - Release 34.13 effective 01/30/26	1	PLG
		** Quote Terms **	1	PLG
		All chassis are subject to availability.		
		Quoted body pricing is valid for 30 days from receipt or until the next data release.		
		Chassis pricing for PL Supplied chassis is subject to any OEM chassis manufacturer surcharges and model year increases.		
		An ambulance or rescue vehicle order, submitted utilizing a chassis that cannot be provided or ordered, (chassis order banks not open, no available allocation, or otherwise unknown), will NOT be processed until such time that the chassis can be ordered and assigned.		
		Upon receipt of chassis VIN and firm chassis production schedule, or chassis receipt, the vehicle order can then be considered "buildable".		
		Once entered into "buildable" order status and when loaded into the PL Custom production schedule, prioritized by order entry date, the body can then be processed for approval and priced on most current pricing and data release in place.		
		This applies to both PL Custom and customer/dealer supplied chassis.		
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1	PLG
		Overall Vehicle Dimensions:		
		Length: 308"		
		Width: 99"		
		Height: 112" (+/- 2")		
		Exterior Modular Body Dimensions:		
		Length: 170"		
		Width: 97"		
		Height: 91"		
		Interior Modular Body Dimensions:		
		Length: 165"		
		Width: 90 3/4"		
		Height: 72"		
03-00-1060	< >	Chassis Type -Ford F-Series	1	PLG
		Chassis paint must be reviewed/edited when changing chassis type		

PART NO	S	DESCRIPTION	QTY	ID
EXTERIOR				
10-10-1100	<	Modular Body Construction SAE J3057 Compliant	1	PLG PLG
10-10-2000	<	Structural Integrity Warranty The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	1	PLG
10-10-2070		Finite Element Analysis	1	PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1	PLG
10-12-2000		Type I, Classic, Cab to body Pass-thru	1	PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1	PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1	PLG
EXTERIOR DOORS, AMBULANCE				
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3) The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	1	PLG PLG
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000		Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
COMPARTMENT LAYOUT				
	<	Exterior compartment dimensions reflect wall to wall measurements.		PLG
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High (wider) - 43w x 42h x 20d	1	PLG
12-20-100A		"C" Left Rear, 1/2 High -31w x 39h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-120A		"E" Right Rear -24w x 83h x 21d	1	PLG
COMPARTMENT DOOR PANELS, MATS, DECKING				
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polyc coated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Slip Resistant Stepwell Mat (removable)	1	PLG
COMPARTMENT CONFIGURATIONS AND EQUIPMENT				
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0300		(2) Adjustable Shelves, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
REAR STEP BUMPER				
14-10-2730		Lift-up Rear Step, Recessed, -Lic. plate Centered	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
ALUMINUM DIAMOND PLATE ACCESSORIES				
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Satin Finish	1	PLG
15-30-2500		Running Boards, Flare type, Non-Slip Dia. Plate w/grip strut (F450/F550 2-Door)	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
15-50-3000		Diamond Plate Under Fuel Fill Housing	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				PLG
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1550		License Plate Holder, Chrome on rear step riser w/LED Light, surface mount	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-70-1000		Upper Body Rain Gutters, Anodized Aluminum, Sides, Front, Rear (KKK Compliant)	1	PLG
EXTERIOR, MISCELLANEOUS				PLG
17-50-1000		Undercoat Body	1	PLG
BODY WINDOWS				PLG
18-10-2000		Window, Side Door (18"W x 22"H), Frameless, Fixed, 24% Tint	1	PLG
18-20-2000		Windows, Rear Doors, (15"W x 22"H), Frameless, Fixed 24% Tint	1	PLG
INTERIOR CONSTRUCTION				PLG
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				PLG
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				PLG
21-10-0520	<	Type I, Classic, Cab to body Pass-thru, Hinged Window Hinged Clear Acrylic window. With standard, wood cabinet construction, the window will open and rest against Right Front Cabinet. The window will rest against rubber gasketing lining the window frame when closed.	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				PLG
21-45-1000		Right front, upper storage w/Life Defender sliding doors, 1 shelf	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-3100		Right Front Lower, with Austin Life Defender Doors - Single Release	1	PLG
RIGHT SIDE BENCH LAYOUT				PLG
22-00-2700	>	"Medic in Mind" Rgt Side Squad Bench upgradeable Layout -(*See photo)	1	PLG
22-00-2800		Squad Bench, Rgt side, (See photo) -cabinets on either side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0650	>	No Armrest -Recessed storage, below	1	PLG
22-25-4600	< >	Recessed "D" bottles, head of Squad Bench, at stepwell See "D" bottle storage brackets selected in section # 80-43-XXXX	1	PLG
22-26-1100		Right Side Forward Cabinet -Medic In Mind (below counter level storage)	1	PLG
22-26-1200	<	Rgt side Forward -ALS Three (3) Drawer Storage Unit, Facing seat -(See photo) All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
22-26-4600	< >	Solid Surface counter, Flat, NO Lip, Rt front, Color: Steel Gray Tempest 9194TM Flat style to accommodate equipment	1	PLG
22-27-1000	>	Rgt side forward upper 45 degree interior cabinet-(see Photo for Green+ options)	1	PLG
22-27-1100	< >	(2) Glove Box Storage, 45* Rgt Upper Cabinet, inside Lexan Door -(See PDF) Storage of (2) glove boxes on inside of Lexan door with hand holes cut on door to access gloves. A SouthCo Latch will be located on the door for restocking	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
22-27-1200		*** No Radio Cutouts Provided in 45* Pod Above Squad Bench	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-0500	< >	Trash bin, tip out, head of bench into aisle (KKK-Pkg) Part of KKK Package	1	PLG
22-35-0600	< >	Sharps disposal, tip out, into aisle (8 qt.) (KKK PKG) Part of KKK Package Standard Location-Squad Bench aft of Wheel Well area	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG
22-46-1100		Right side rearward cabinet, -Medic in Mind- (below counter level storage)	1	PLG
22-46-1250	<	Rgt side Rearward -ALS Three (3) Drawer Storage Unit, Facing Seat -(see Photo) All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
22-46-4500	>	Solid Surface counter, 1" lip, Right rear, Color: Steel Gray Tempest 9194TM LEFT SIDE MIDDLE (Base Cabinet)	1	PLG
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
		LIFE SUPPORT STATION		PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2250		**No Radio Cut-Outs to be provided in LSS**	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-0950	< >	(Reduced Hgt) Upper cabinet, 45 deg, w/Life Defender sliding doors, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 12".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2500	<	SSCOR Suction recessed below counter w/ hinged acrylic door(ILO abv counter mnt) Acrylic Door to match other Acrylic/Lexan interior doors. (either tint or clear) Includes Southco Polished Stainless Steel latch & 1" slot in right side of door, which will form an opening when door is closed.	1	PLG
		LEFT REAR STORAGE CABINET		PLG
23-40-1050	<	Left rear full cabinet, upper, 45 deg w/Life Defender sliding doors 45 deg hinged door to be a White Acrylic overlapping door to act as a dry-erase, writing surface. Includes (1) adjustable shelf, installed in the sliding door portion of the cabinet and (1) adjustable shelf, installed in the 45 degree portion Includes Austin Life Defender Sliding Doors.	1	PLG
23-40-2750		**(Factory comment) - Glove Boxes added to Left Rear Upper -see Sec. 28-45	1	PLG
23-40-3000		Left rear half cabinet, middle, 1/2" acrylic doors, 1 shelf	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2500	<	ALS Three (3) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches	1	PLG
		INTERIOR CABINET DOORS		PLG
24-10-4M00		Cabinet doors, Polycarbonate/Acrylic, Clear	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
ENTRANCE DOORS				
24-30-2000		Ent. Door panels, 3 section	1	PLG
ABOVE DOOR HEAD BUMPERS				
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
GRAB RAILS				
25-10-1000		Grab rail, 72", s/steel, over squad bench	1	PLG
25-10-1500		Grab rail, 72", s/steel, over cot	1	PLG
25-10-3570	<	Grab rail, "L" Shaped, Facing Stepwell - (Requires a fwd Cabinet)	1	PLG
		Grab rail mounted on the "step area" side of the forward custom squad bench cabinet.		
25-10-3600		Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-1A00		Grab rail, 45 deg, side entrance door, (1)	1	PLG
25-11-2100		Grab rail, 45 deg, rear entr. doors, (2)	1	PLG
SEAT BELTS				
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-2011		(1) Six point Seat Belt Harness w/ Comfort Pads - Curbside Seating	1	PLG
25-51-2031		(1) Six point Seat Belt Harness w/ Comfort Pads - Street Side Seat	1	PLG
COT MOUNT and COT MODEL				
26-35-1250	<	Power/Performance Load Install PL Supp FloorPlate,w/Circuit,w/MiniRailPlate(SAE) Stryker Power/Performance Load Floor Plate All components provided by PL Custom. PL Custom will supply and install a Stryker Power/Performance Load Floor Plate and Mini Rail Plate. Includes charging circuit for use with Power Load fasteners or Performance Load fasteners that include the inductive charging option. Circuit will remain Hot at all times. Includes cutout in the floor for the installation of a Mini Rail Plate. Stryker cable will be shipped loose.	1	PLG
I.V. HOLDER				
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
26-50-2150	<	Turn IV Holders, 90 degrees (facing center raceway) Turn the two IV holders 90 degrees. Dropping towards center raceway	1	PLG
INTERIOR COLORS				
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1500		Upper Laminate - Fashion Grey D381-60	1	PLG
27-10-69B6		Lower Laminate - Oiled Soapstone 4882-60	1	PLG
INTERIOR UPHOLSTERY				
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-5600		Upholstery Color: Gray	1	PLG
ATTENDANT SEAT				
27-36-1000	>	Gray, Attendant Seat, EVS 17703, 3 Point Harness, ABS Back, Swivel, Sewn Vinyl	1	PLG
27-37-0100		** Confirm Seat color** - GRAY is the vehicle upholstery color	1	PLG
FLOORING				
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
CAB CONSOLE				
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
27-75-0100		**No Radio Cut-Outs to be provided in Cab Console**	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider - See PDF	1	PLG
MISCELLANEOUS INTERIOR				PLG
28-45-1470	< >	Glove Storage (3) Large boxes, LR Upr Cabinet, on 45" Door-(72" Headroom) Storage for (3) glove boxes with a hinged, white lexan door and front facing access slots. (Downsized shelf also included behind glove holder). Fits Only (3) *Large Boxes @ 9-5/8" x 5" x 3-1/2" ea. NOTE: Not for use on any 68" Headroom vehicle	1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
OXYGEN AND SUCTION				PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-40-2500	< >	Oxygen Monitor, Digital LED, Amico Includes Qty (1) AMICO O2 regulator, with installed transducer	1	PLG
30-50-3500	>	Oxygen Bottle holder, Zico QR-MV-2, Multiversal	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M (example; M tank steel, M tank aluminum, H tank steel)	1	PLG
		This will allow the factory to preset the adjustable mounts for your customer. selection will result in the mounts being set for an Aluminum M tank	No	
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1000		Wrench, Oxygen Cylinder - (wall mounted)	1	PLG
ELECTRICAL				PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
MULTIPLEX ELECTRICAL SYSTEM				PLG
40-20-1000		Multiplex Electrical System, CAN BUS Switches	1	PLG
40-21-1000		White Warning lights shut off when vehicle is placed in Park	1	PLG
CAB SWITCH PANEL - MULTIPLEX ELECTRICAL SYSTEM				PLG
40-22-1000		Voltmeter, Digital, Front switch panel (Shows battery voltage at all times)	1	PLG
40-22-1020		Low Voltage Alarm and Indicator (when voltage falls below 11.8V for 120 seconds)	1	PLG
40-22-1040		Battery On Indicator Light, front switch panel (illuminates with system power)	1	PLG
40-22-1060		Door Open Warning Indicator Light, front switch panel	1	PLG
40-22-1080		Door Open Display, LED Indicator in graphic overlay for each door when open	1	PLG
40-22-1100		Apply/Release Park Brake Warning Indicators in front switch panel	1	PLG
40-22-1120		Load Shed Indicator Light in front console (when system enters load shed mode)	1	PLG
40-22-1140		Audible Alarm in front console, door open, low voltage, park brake	1	PLG
40-22-1160		Load Management (shuts down lower priority loads during a low voltage situation)	1	PLG
40-22-1180		Front SW Panel, Siren Horn Transfer, single throw, ON: Siren, OFF: Horn	1	PLG
40-22-1220		Front SW Panel, HVAC Master ON/OFF, single throw	1	PLG
40-22-1240		Front SW Panel, Interior Lighting Master ON/OFF, single throw	1	PLG
40-22-1260		Front SW Panel, Back-up alarm cancel, single momentary	1	PLG
40-22-1300		Front SW Panel, Right Scene Lights ON/OFF, single throw	1	PLG
40-22-1320		Front SW Panel, Left Scene Lights ON/OFF, single throw	1	PLG
40-22-1340		Front SW Panel, Rear Scene Lights ON/OFF, single throw	1	PLG
REAR MAIN SWITCH PANEL - MULTIPLEX ELECTRICAL SYSTEM				PLG
40-23-1000		Rear Main Switch Panel Located in LSS Switch Pod	1	PLG
40-23-1040		Rear SW Panel, Power Door Lock, double momentary, UP: Lock, DOWN: Unlock	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
RIGHT FRONT CABINET SWITCH PANEL - MULTIPLEX ELECTRICAL SYSTEM				PLG
40-24-1000		Side Ent Door Switch, Power Door Lock, double momentary, UP: Lock, DOWN: Unlock	1	PLG
40-24-1020		Side Ent Door Switch, Right Scene Light Override, single momentary	1	PLG
40-24-1040		Side Ent Door Switch, Activates Interior Lights, 10 min timer, single momentary	1	PLG
LEFT REAR CABINET SWITCH PANEL - MULTIPLEX ELECTRICAL SYSTEM				PLG
40-25-1000		Rear Ent Door Switch, Power Door Lock, double momentary, UP: Lock, DOWN: Unlock	1	PLG
40-25-1020		Rear Ent Door Switch, Rear Scene Light Override, single momentary	1	PLG
RIGHT WALL SWITCH PANEL - MULTIPLEX ELECTRICAL SYSTEM				PLG
40-26-1022	>	Auxiliary Switch Panel, CAN BUS, (6) Switches, Rt Side Upper Cabinet, Rear Face	1	PLG
40-26-1040		Aux Panel, Left Dome High/Low dbl momentary, UP: High on/off, DOWN: low on/off	1	PLG
40-26-1060		Aux Panel, Right Dome High/Low dbl momentary, UP: High on/off, DOWN: low on/off	1	PLG
40-26-1080		Aux Panel, Rectangular Lights dbl momentary, UP: on/off, DOWN: no function	1	PLG
40-26-1120		Aux Panel, Oxygen, double momentary, UP: on/off, DOWN: no function	1	PLG
40-26-1140		Aux Panel, Exhaust High/Low dbl momentary, UP: High on/off, DOWN: low on/off	1	PLG
40-26-1160		Aux Panel, Spare Switch, double momentary, UP: no function, DOWN: no function	1	PLG
CAB ELECTRICAL				PLG
41-10-0100		Alternator, Dual with 410 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3600		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1200		Back-up alarm, w/ resetting cancel	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
42-70-1200	>	Anti-Theft device, Kussmaul #3	1	PLG
EMERGENCY WARNING EQUIPMENT SIREN				PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
SIREN SPEAKERS				PLG
43-31-4310	< >	Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2023-on Chassis equipped with OE fog lights will have fog lights removed and discarded to accommodate speaker mounting.	1	PLG
FRONT LIGHT BAR				PLG
43-40-0500		-No front Lightbar required-	1	PLG
REAR LIGHT BAR				PLG
43-50-1000		-No rear Lightbar required-	1	PLG
CAB MOUNTED LIGHTS				PLG
43-68-A100	>	Whelen KKK CAB Flashing Lights, CLEAR Lens package	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
43-71-1400		(2) Upper Whelen T-Series LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-1624	<	*** Flange & Backing Plate included with T-Series Light *** Backing Plate Required for mounting in grille	1	PLG
43-71-4500		(2) Whelen T-Series LED Fender Light, Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-7501	<	*** Flange included with T-Series Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -<(Full Catalog PDF here)>	1	PLG PLG
		FRONT BODY VEHICLE LIGHTS -(Non-Emergency)		PLG
43-A1-1700		(2) M6-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0250	<	** (7) Front Upper Lights & Directionals The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2420		*** M9 -Whelen KKK Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0020	< >	KKK Traditional Flash, -Primary/Secondary Sw. Flash pattern as per KKK-A-1822: All upper corners flash "A" Alternates with Center rear flash "B" Center front flash "C", off in secondary ALI lower level flash "C", off in secondary	1	PLG
43-A5-0065	<	Program Flashing Lights to "Single Flash 375 " Whelen flash pattern Lighthouse will flash 375 times per minute. When used with an alternating flasher, it gives the appearance of a 3 flash burst.	1	PLG
	>	FRONT BODY WARNING LIGHTS		PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7)	1	PLG
		M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)		PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		REAR BODY WARNING (Flashing) LIGHTS		PLG
43-H1-0520		**M9 -Whelen KKK, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		M9 -REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor) (PDF>)		PLG
43-H5-G120		(3) Rear Upper Lights & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-0850		M9-Whelen, Sup-LED, Amber, Rear - (Loc: R4)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		M9 -Rear Lights at Window Level		PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG
		SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS		PLG

PART NO	S	DESCRIPTION	QTY	ID
43-T5-1200		*** Side Body Flashing Lights, Over Rear Wheel Package	1	PLG
43-T5-2200	<	Whelen T-Series LED, Red, (2) Over Rear Wheel, CLEAR LENS, Chrome Flange	1	PLG
		Color: Red (clear lens)		
REAR NON-EMERGENCY LIGHTS				PLG
44-10-1500	< >	Stop/Tail and Turn Signal-Light heads with clear lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Clear Lenses.		
44-26-0150		Stop/Tail, (2) M6 -Whelen Super LED -(clear Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0550		Directional, (2) Whelen M6 Super LED -(clear Lens) Populated Arrow	1	PLG
AUXILIARY NON-EMERGENCY LIGHTS				PLG
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
44-30-5500		Running Board Illum Lights, (2) , Heavy Duty LED 4" Recessed	1	PLG
44-35-1000	< >	Rear Red Flasher/Brake Light Priority - (Rear Uppermost Lights)	1	PLG
		For Lights located in the upper most portion of the body		
		Not available with CENCOM		
FLOOD LIGHTS				PLG
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
44-50-24D0		(2) M9 - Whelen, Super LED Scenelight, (2) , Rear-(Loc:R12, R13)	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
CLIMATE CONTROL				PLG
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-30-6000		HVAC, Center Ducted System	1	PLG
45-30-6010		Clima-Tech HVAC Control System and Evaporator	1	PLG
45-30-6100		Front Body Condenser	1	PLG
45-30-6110		Front Body Condenser Housing	1	PLG
45-30-6P00		Classic SuperCool, Independent Aux Compressor	1	PLG
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
CEILING CONFIGURATION				PLG
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
INTERIOR LIGHTS				PLG
46-10-1L00		(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
EXTERIOR COMPARTMENT LIGHTS				PLG
46-20-1075	<	Lights, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
AUXILIARY INTERIOR LIGHTING				PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
CHARGING PORTS				PLG
47-20-1000		Charging Ports, Combo 12V/USB-A/C, Loc: LSS Wall	1	PLG
47-20-2000		Charging Ports, Combo 12V/USB-A/C, Loc: Right Front In/out	1	PLG
47-20-2500	< >	Charging Ports, Combo 12V/USB-A/C, Loc: Left Rear Outlet mounted 14" above the rear counter	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
47-20-3000	< >	Charging Ports, Combo 12V/USB-A/C, Interior Wall or Cabinet Location: Qty: (2) Locations: 1st - wall above forward MIM countertop. 2nd - wall above rearward MIM countertop.	2	PLG
ANTENNA/COMMUNICATION RADIO				PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
MISCELLANEOUS 12 VOLT ELECTRICAL				PLG
48-15-1610	< >	Back-Up 2-Camera System ASA Voyager w/7" Rear View Mirror Replacement Monitor ASA Voyager System Interior camera to be located on the front head bumper. Due to OEM mirror mounting - this option not available for Dodge chassis	1	PLG
48-20-2000	>	Speakers w/ On/Off Control Rear Sw Panel	1	PLG
48-50-3070		Intellitec, Clock, mounted on 45 degree Cabinet (Life Support Station)	1	PLG
48-60-3700		Liquid Spring Control Left Rear Door Open w/ Override switch	1	PLG
48-60-3720	<	Liquid Spring Control Side Entrance Door with override switch (Front suspension) Override switch at side door, will prevent side door from lowering front/ rear suspension	1	PLG
ELECTRICAL 115 VOLT AC				PLG
SHORELINE				PLG
51-00-2000		Shoreline, Super Auto-Eject, 20 amp, WHITE	1	PLG
51-05-1000		Shoreline Location: Left Side, Above Compt. "B"	1	PLG
51-30-2000	<	Shoreline / Battery Charging Status Display Kussmaul Auto Charge Status Center Battery Voltage shown on 3-digit LED Display (4) Status LED Indicators for: HIGH VOLTAGE FULLY CHARGED CHARGING LOW VOLTAGE	1	PLG
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
MEDICAL OUTLETS				PLG
52-10-1000		Hospital Grade Lighted GFCI Outlet, Location: L/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear Outlet mounted 14" above the rear counter	1	PLG
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5000	<	Hospital Grade Lighted Outlet, Interior Wall or Cabinet Location: Qty: (2) Locations:	2	PLG

PART NO	S	DESCRIPTION	QTY	ID
		1st - wall above forward MIM countertop. 2nd - wall above rearward MIM countertop.		
		BATTERY CHARGER / INVERTER CHARGER		PLG
55-10-1225	< >	Inverter/ Charger,Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)	1	PLG
		PAINT LUSTRE		PLG
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
		BODY AND CAB PRIMARY PAINT		PLG
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-121A		**Modular Body Paint Color OEM White	1	PLG
60-15-1490	< >	No Cab Repaint Required(Cab remains OEM White) NOT ALL PAINT COLORS AVAILABLE , CHECK WITH PL FACTORY ON AVAILABILITY. When NO cab repaint is specified, chassis paint code must be verified to be sure of a match to body paint	1	PLG
		ADDITIONAL VEHICLE PAINT, SECONDARY		PLG
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polyc coated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
65-50-4020	< >	Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
65-50-4070	< >	Reflective White Tape Stripe, 3/4" Outline, on interior of Compartment Doors Reflective White Tape Stripe on the interior pan of all compartment doors	1	PLG
65-80-1200	< >	KKK-A-1822 Decal Package - Shipped Loose Three 6" "Ambulance", with block letters and reflective border: one each side and one on the rear of the body. One 4" mirrored "Ambulance", with block letters and reflective border, on the hood of the vehicle. Two 4" Star of Life decals: on the hood, one each side. Two 12" Star of Life decals: on the rear of the ambulance, one each side. Two 18" Star of Life decals: on the sides of the vehicle body. One 32" Star of Life decal: on the roof of the vehicle. Two "No Smoking, Oxygen Equipped" signs: installed in the interior of the vehicle.	1	PLG
		TECHNICAL RADIO INSTALLATION		PLG
70-10-0500		No Technical Radio Installation	1	PLG
		CHASSIS EQUIPMENT		PLG
75-10-1S00		Stainless Steel Wheel Inserts F- 08+, with -19" wheel	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-30-2900	< >	Liquid Spring Suspension, Front Axle, Ford F450/F550 Front System requires rear Liquid Spring suspension. As per Liquid Spring, The left rear door activation will lower the rear suspension only. Even when a vehicle is equipped with both front and rear Liquid Spring suspensions.	1	PLG

PART NO	S	DESCRIPTION	QTY	ID
		The Liquid Spring suspension will be lowered, front and rear, by a dedicated pin switch in the side door with an override switch located at the side door.		
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
		EQUIPMENT		PLG
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp) Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-43-7000	<	Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle) Model QA1205-DUAL-D-1 Located in the recessed stepwell area Qty (1)	1	PLG
80-45-1050	>	KKK-1822 Pkg for KKK Compliance	1	PLG
80-45-1070	<	Factory will Adjust "Duplicate Items"- (From KKK Comply) The Factory will adjust and remove any unnecessary "Duplicate" lines which occurred with the addition of QW# 80-45-1050 KKK Compliance. Specific Locations which the customer called out will take precedence.	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
		CHASSIS		PLG
95-10-010A	<	** Chassis Model Year is not currently available to order Estimated pricing only Pricing and specs subject to change chassis is available.	1	PLG
95-12-265L	<	2026 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.	1	PLG
		Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM Single Stage Turbo Charger Instant Start Glow Plugs for quick engine starts Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side Intelligent Oil Life Monitor Engine block heater Water Pump with 125 gallons per minute flow rate		
		Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow		
		Electronic Shift on the Fly with automatic locking front hubs with manual override.		
		Brakes - 4 wheel Anti-lock Braking System Traction Control - DRW Models		
		Fuel Capacity: 40 gallon single tank (aft axle)		
		Front Axle: 7,000 lb. Monobeam, Dana Super 60 Rear Axle: 13,660lb. Full Floating Dana S110		
		Suspension: Heavy Duty Front Coil Springs Rear Leaf Springs, main & auxiliary Shock absorbers, front & rear 1.38" Stabilizer bar, front and rear Power Steering		

PART NO	S	DESCRIPTION	QTY	ID
		Steering Damper		
		Instrumentation: multifunction switch message center - Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator		
		Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode Operator Commanded regen allowed down to 30% of DPF filter full instead of 100% Stationary elevated idle control (SEIC) is built into the engine control module Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register		
		Rear axle 4.10 Limited Slip Dual OEM HD Alternators (total 410 amps) 67B Dual 750 CCA Batteries Operated Commanded Regeneration (OCR) #98R		
		Safety/Security: Driver/Passenger frontal and side air bag/curtain Passenger side air bag deactivation switch Belt-Minder - chime & flashing warning light on instrument panel if belts not buckled Safety Belts - color coordinated with height adjustment (front outboard seating positions only) SOS Post-Crash Alert System Securi-lock Anti Theft Ignition		
		Tires: Front & Rear LT225/70R 19.5G All Position (6) #THB Spare Tire: LT225/70R 19.5G (All Position) Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim: Dual Electric Horns Chrome Front Bumper & Grille Surround Front Tow Hooks Lights - roof/marker clearance lights Dual Beam Jewel Effect Headlights High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with Power Heated Glass, Integrated clearance lights, Turn signals, LED security approach lights, Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A Air Conditioning Cloth Headliner, Map Pockets AM/FM Radio w /MP3		
		SYNC 4 4.2" LCD Productivity Screen in IPC (Instrument Panel Cluster) 8" LCD Touchscreen with Swipe Capability in DASH		
		Overhead Console with dual storage bin and map lights Outside Temperature Display Interval Windshield Wipers Tilt Steering Wheel/Speed Control - steering wheel mounted Power Windows/Door Locks Black Vinyl Floor (No Floor Mats) Headlights on audible alarm		

PART NO	S	DESCRIPTION	QTY	ID
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision warning		
		Automatic High Beam Headlights		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM DARK SLATE		
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG